

TETRA Interoperability Certificate

**Motorola Solutions, Dimetra IP R9.0, SwMI –
Hytera, PT580H Plus, Terminal**

Kraków, September 2017

| | | | |
|--------------------------------------|-----------------|--|--------|
| Latest Certified SwMI SW Release: | R9.0 | Latest Certified Terminal SW Release: | V3.08 |
| Latest Certified SwMI HW Release: | Dimetra IP R9.0 | Latest Certified Terminal HW Release: | 115801 |

ISCTI (Istituto Superiore delle Comunicazioni e delle Tecnologie dell'Informazione) certifies, that the Motorola Solutions, Dimetra IP R9.0, SwMI and the Hytera, PT580H Plus, terminal have been subject to interoperability testing for the “certified” features listed on second page of this certificate, in accordance with the TETRA Interoperability Profiles, TIP compliance Test Plan and related TETRA interoperability requirement tables.

The table lists all the available TETRA interoperability profiles, and summarizes the main functionalities of every profile according to the TETRA interoperability requirement tables.

A feature is “Certified” when it has been successfully tested during the last test session with one of the testing method described in the TETRA process document part 1 (TPD001-01).

A breakdown into the feature details is given in the Feature Compliance Overview section of this certificate.

This certificate has been issued following a multiple test session between Motorola Solutions and Hytera on September 2017. Detailed test results are listed in the Test Report associated to this Certificate. Details and explanation about the procedure used to provide verdicts are in the TIC process TPD001-01.

IOP test engineer



Massimo Proietti

Head of the Procedure



Ivano Luciani

Radio Office Manager



Giuseppe Pierri

ISCTI - V.le America 201, 00144 Rome, Italy
Ph.: +39 06 5444 2135, Fax: +39 06 5410904
e-mail: tetra_ctc.iscom@mise.gov.it,
Web: www.mise.gov.it

**Date of issue:
28 February 2018**

v 1

Certified features

| TTR001-01:Core | |
|---|-----------|
| Registration | Certified |
| Group Management | Certified |
| Group call | Certified |
| Individual call | Certified |
| Status messages | Certified |
| Pre-emptive Priority Call | Certified |
| Emergency Call | Certified |
| Cell Re-selection | Certified |
| PSTN interconnect | Certified |
| MS-ISDN Numbering | - |
| In Call Signalling | Certified |
| Subscriber Class Procedures | Certified |
| Common Secondary Control Channels | Certified |
| BS Fallback Operation | Certified |
| Energy Economy Mode | Certified |
| Transmit Inhibit | Certified |
| Mixed band operation | Certified |
| TTR001-02:SDS | |
| SDS Type 1, 2 or 3 | - |
| SDS-TL | Certified |
| Store and Forward | Certified |
| Multipart SDS | - |
| TTR001-03:DGNA | |
| Support for individually addressed DGNA | Certified |
| Support for group addressed DGNA | Certified |

| | |
|--|-----------|
| Tolerance of unsupported DGNA functions | - |
| TTR001-04:Auth | |
| SwMI Initiated (non-mutual) Authentication | Certified |
| SwMI Initiated Authentication made Mutual by MS | Certified |
| TEI Query | - |
| TTR001-05:PD | |
| Context Management | Certified |
| Single Slot Packet Data | Certified |
| Multi Slot Packet Data | Certified |
| TEDS | - |
| Mixed band operation | - |
| TTR001-09:AL | |
| Ambience Listening | Certified |
| Interaction with Transmit Inhibit | Certified |
| TTR001-10:E2EE | |
| E2EE Voice Call | Certified |
| TTR001-11:AIE | |
| Security Class 2 Air Interface Encryption | Certified |
| Security Class 3 Air Interface Encryption | Certified |
| Security Class 3G Air Interface Encryption | - |
| Management of CMG and GSKO | - |
| Key Status demand | - |
| Change of Security Class for Fallback operation | - |
| Change of Security Class (other than for Fallback operation) | - |
| Key Management for Secure Direct Mode Operation | - |
| TTR001-12:SI | |
| MS initiated Service Interaction | Certified |
| SwMI initiated Service Interaction | Certified |
| Call Waiting | - |

| TTR001-13:ED | |
|--|--------------------|
| Enable and temporary disable of an MS | Certified |
| Permanent disable of an MS | Certified |
| TTR001-14:TKD | |
| Delivery of Authentication Data | Certified |
| Delivery of SCK | Certified |
| Delivery method | Certified |
| TTR001-17:RUA | |
| Radio User Assignment | Certified |
| TTR001-19:LIP | |
| Location Information Protocol | Certified |
| TTR001-20:CF | |
| Call Forwarding Unconditional | Certified |
| Call Forwarding Conditional | Certified |
| Call Forwarding Information Displayed | Certified |
| Management of Call Forwarding | - |
| TTR001-21:Callout | |
| Full Callout | Certified |
| Simple Callout | Certified |
| Interaction with other services and events | Certified (Note 1) |
| Callout Test and Callout Availability | -(Note 1) |
| Callout Text and Callout Pre-Coded Status | Certified |
| Storage of Callout Information | Certified |

Note 1: a TIC-RT declaration was changed after the start of the test session. Due to a human error the original declaration was filled out wrongly. Please refer to the Test Report for details.

Feature Compliance Overview

The first pages of this certificate provide an indication about the main interoperable TETRA features for each TIP specification (as described in the TIC-RT). The main interoperable TETRA features' results depend on a set of sub-features, the verdicts associated to each sub-feature are directly derived from the analysis of the performed test cases.

The results associated to each feature and sub-feature are shown in the "Feature Compliance Report" table below. The main features are indicated with blue background and the associated sub-features (or second level features) have a white background.

The outcome assigned to a feature as shown on page 2, is derived by the Feature Compliance Report tables.

| Outcome | Definition |
|------------------|---|
| Certified | All required tests have been performed and passed |
| Partial | Not all the required tests have been performed but none have failed |
| - | Feature cannot be certified e.g. it is not supported by at least one product, no tests were performed, or some tests were performed but at least one failed |

The outcome is derived from the verdict assigned to a sub feature which is the result of an analysis of the test case results listed in the Test Report. The verdict assigned to each sub-feature is derived from one or several test case results or test steps result, the TETRA Interoperability requirement tables (TIC-RTs) indicate the link between sub-features and test cases for the certified set of equipment capabilities (see Test Report).

| Verdict | Definition |
|-------------------|---|
| Passed | All mandated tests or steps of tests linked to this functionality (as per TIC-RT indication) are compliant with the TIP specification relevant to this feature or sub-feature |
| Incomplete | Not all Mandated tests (as per TIC-RT indication) have been executed |
| Failed | At least one of mandated test or steps of tests linked to this functionality failed to match the TIP specification relevant to this feature or sub-feature |

The verdict associated to the feature or sub-feature gives also indication about the method used to test that feature or sub-feature. The allowed testing Methods are listed in the table below, a complete description of the procedures and constraints associated to each of them can be found in the "TPD001-01 TETRA Interoperability Certification Process Description" document.

| Testing Method | Description |
|---------------------------|--|
| Complete | All mandated tests associated to the feature or sub-feature have been executed |
| Spot | Only a selection of the mandatory test cases associated to the feature or sub-feature has been executed during the test session. These tests are a subset of the tests performed on an equivalent software which has been "completely" tested against the same functionality on a different equipment, see manufacturer declaration in the associated Test Report |
| Regression | Only a selection of the mandatory test cases associated to the feature or sub-feature has been executed during the test session. These tests are a subset of the tests performed on a previous version of the same software which has been "completely" tested in a previous test session against the same functionality, see manufacturer definition in the associated Test Report |
| Regression on spot | The regression method (see the previous item) has been applied at this session on the verdicts from the referenced (previous) session where the spot testing method (see above) had been applied. |
| Witnessed | The TIP heading lines in the Feature Compliance Report indicate whether each TIP is partially or fully witnessed by the Certification Body. Additionally, for a partially-witnessed TIP, the number of witnessed test cases that passed is shown for each the feature and sub-feature. There may have been some un-witnessed passed tests and they will have been found to be successful based on the log file evaluation |

Depending on equipment capabilities declared by the manufacturer, some features or sub features cannot be tested. The following table describes meaning of the used abbreviation:

| Indication | Definition |
|------------|------------|
|------------|------------|

| | |
|----------------------|---|
| Not supported | The SwMI and/or MS do not support the minimum features required to verify these items |
|----------------------|---|

ISCTI has made every effort to ensure that every result has been correctly evaluated in accordance with the relevant TIPs, Test Plans and TIC-RTs. ISCTI has no liability for the test results, or towards the manufacturers.

The table on the following page lists HW and SW releases of SwMI and Terminal under test in the last four test sessions and the used TIP specifications, Test Plans and TIC-RTs.

This Certificate and Certificates from previous test sessions are available on the TCCA web site (<https://tcca.info/interoperability/interoperability-certificates-and-test-reports/>).

The feature results are shown in the tables below.

Information on equipment under test and document references

| | | | | |
|---|---|--|--|--|
| Test Session Date/Place | Motorola Solutions, Kraków, September 2017 | | | |
| SwMI Type | Dimetra IP R9.0 | | | |
| SwMI HW Release | Dimetra IP R9.0 | | | |
| SwMI SW Release | R9.0 | | | |
| Terminal Type | PT580H Plus | | | |
| Terminal HW Release | 115801 | | | |
| Terminal SW Release | V3.08 | | | |
| TIP Specs and TIP Compliance Test Plans | | | | |

| | | | | |
|-------------|---|--|--|--|
| Core | TTR001-01 v6.2.2 IOP001-01 v3.2.1 TIC-RT001-01 v271 | | | |
| SDS | TTR001-02 v2.1.3 IOP001-02 v2.1.0 TIC-RT001-02 v222 | | | |
| DGNA | TTR001-03 v2.0.0 IOP001-03 v2.0.1 TIC-RT001-03 v228 | | | |
| Auth | TTR001-04 v3.0.0 IOP001-04 v2.0.0 TIC-RT001-04 v230 | | | |
| PD | TTR001-05 v4.1.0 IOP001-05 v4.1.0 TIC-RT001-05 v405 | | | |
| AL | TTR001-09 v2.1.0 IOP001-09 v1.2.0 TIC-RT001-09 v129 | | | |
| E2EE | TTR001-10 v2.1.0 IOP001-10 v1.2.0 TIC-RT001-10 v128 | | | |
| AIE | TTR001-11 v3.1.0 IOP001-11 v3.1.0 TIC-RT001-11 v331 | | | |
| SI | TTR001-12 v1.1.0 IOP001-12 v1.0.0 TIC-RT001-12 v133 | | | |
| ED | TTR001-13 v2.1.0 IOP001-13 v1.0.0 TIC-RT001-13 v151 | | | |
| TKD | TTR001-14 v1.0.3 IOP001-14 v1.2.0 TIC-RT001-14 v122 | | | |
| RUA | TTR001-17 v1.1.0 IOP001-17 v1.0.0 TIC-RT001-17 v114 | | | |

| | | | | |
|---|---|--|--|--|
| LIP | TTR001-19 v1.1.0 IOP001-19 v1.2.0 TIC-RT001-19 v114 | | | |
| CF | TTR001-20 v1.0.1 IOP001-20 v1.0.0 TIC-RT001-20 v114 | | | |
| Callout | TTR001-21 v2.1.1 IOP001-21 v2.2.0 TIC-RT001-21 v114 | | | |
| SwMI Test bench Callout Application SW Release | -Call Out Console v2.7.0 rev 10 - SDTS R02.00.05 | | | |

Feature compliance report

| Test Session | Motorola Solutions, September 2017 Krakow | | | |
|---|---|--|--|--|
| Core - Fully Witnessed Testing | | | | |
| Registration | PASSED Complete 6_pass_of_6 | | | |
| Initial registration | PASSED Complete 3_pass_of_3 | | | |
| SwMI initiated location updating | PASSED Complete 2_pass_of_2 | | | |
| LA timer based Periodic location updating | Not Supported | | | |
| De-registration | PASSED Complete 1_pass_of_1 | | | |

| | | | | |
|---|----------------------------------|--|--|--|
| Group Management | PASSED Complete 11_pass_of_11 | | | |
| Single group attachment | PASSED Complete 5_pass_of_5 | | | |
| Multiple group attachment | PASSED Complete 4_pass_of_4 | | | |
| MS initiated group detachment | PASSED Complete 2_pass_of_2 | | | |
| SwMI initiated group management | Not Supported | | | |
| Group call | PASSED Complete 9_pass_of_9 | | | |
| Normal group call | PASSED Complete 3_pass_of_3 | | | |
| Late entry | PASSED Complete 1_pass_of_1 | | | |
| Priority Group scanning | PASSED Complete 3_pass_of_3 | | | |
| Call setup modifications | PASSED Complete 1_pass_of_1 | | | |
| Resource Queuing based on Call Priority | PASSED Complete 1_pass_of_1 | | | |
| Broadcast Call | Not Supported | | | |
| Limited coverage notification | Not Supported | | | |
| Individual call | PASSED Complete 7_pass_of_7 | | | |
| Simplex individual call | PASSED Complete 3_pass_of_3 | | | |
| Duplex individual call | PASSED Complete 2_pass_of_2 | | | |
| Call setup modifications | Not Supported | | | |
| Resource Queuing based on Call Priority | PASSED Complete 2_pass_of_2 | | | |
| Indication of imminent call disconnection | Not Supported | | | |

| | | | | |
|--|----------------------------------|--|--|--|
| Status messages | PASSED Complete 1_pass_of_1 | | | |
| Individual addressed Status transfer | Not Supported | | | |
| Group addressed Status transfer | PASSED Complete 1_pass_of_1 | | | |
| Pre-emptive Priority Call | PASSED Complete 2_pass_of_2 | | | |
| Pre-emption of Resources | PASSED Complete 1_pass_of_1 | | | |
| Pre-emption of Busy Users | PASSED Complete 1_pass_of_1 | | | |
| Emergency Call | PASSED Complete 2_pass_of_2 | | | |
| Pre-emption of Resources | PASSED Complete 1_pass_of_1 | | | |
| Pre-emption of Busy Users | PASSED Complete 1_pass_of_1 | | | |
| Call setup modifications | Not Supported | | | |
| Call disconnection by non-call owner | Not Supported | | | |
| Cell Re-selection | PASSED Complete 22_pass_of_22 | | | |
| Undeclared | PASSED Complete 1_pass_of_1 | | | |
| Unannounced | PASSED Complete 3_pass_of_3 | | | |
| Announced - with Call Restoration | PASSED Complete 11_pass_of_11 | | | |
| Announced - without Call Restoration | Not Supported | | | |
| Expedited | Not Supported | | | |
| Graceful Service Degradation Mode (GSDM) | PASSED Complete 7_pass_of_7 | | | |
| PSTN interconnect | PASSED Complete 4_pass_of_4 | | | |

| | | | | |
|--|----------------------------------|--|--|--|
| TETRA Originated Call | PASSED Complete 2_pass_of_2 | | | |
| PSTN Originated Call | PASSED Complete 1_pass_of_1 | | | |
| DTMF over-dial | PASSED Complete 1_pass_of_1 | | | |
| Emergency Telephone Calls | Not Supported | | | |
| MS-ISDN Numbering | | | | |
| MS ISDN - Voice Call | Not Supported | | | |
| MS-ISDN Status | Not Supported | | | |
| In Call Signalling | PASSED Complete 5_pass_of_5 | | | |
| Slow Signalling on Traffic Channel (SACCH) | PASSED Complete 4_pass_of_4 | | | |
| Fast Signalling on Traffic Channel (FACCH) | PASSED Complete 1_pass_of_1 | | | |
| Subscriber Class Procedures | PASSED Complete 6_pass_of_6 | | | |
| Cell Selection based on Subscriber Class | PASSED Complete 3_pass_of_3 | | | |
| Subscriber Class Delivery during Location Update | Not Supported | | | |
| Use of Subscriber Class Preference Levels | PASSED Complete 3_pass_of_3 | | | |
| Common Secondary Control Channels | PASSED Complete 7_pass_of_7 | | | |
| One C-SCCH per cell | PASSED Complete 5_pass_of_5 | | | |
| Two C-SCCH per cell | PASSED Complete 2_pass_of_2 | | | |
| Three C-SCCH per cell | PASSED Complete 2_pass_of_2 | | | |
| BS Fallback Operation | PASSED Complete 10_pass_of_10 | | | |

| | | | | |
|--|--------------------------------|--|--|--|
| Switch to/from BS Fallback Operation | PASSED Complete 2_pass_of_2 | | | |
| Roaming to avoid a cell in BS Fallback Operation | PASSED Complete 2_pass_of_2 | | | |
| Services with BS Fallback Operation | PASSED Complete 5_pass_of_5 | | | |
| Ignore a cell in Fallback Operation | PASSED Complete 1_pass_of_1 | | | |
| User selectable Fallback behaviour | Not Supported | | | |
| Energy Economy Mode | PASSED Complete 3_pass_of_3 | | | |
| Energy Economy Mode Operation | PASSED Complete 3_pass_of_3 | | | |
| Transmit Inhibit | PASSED Complete 9_pass_of_9 | | | |
| TXI Activation & De-Activation | PASSED Complete 4_pass_of_4 | | | |
| TXI Activation & De-Activation with TxI Status available to the Dispatcher | PASSED Complete 4_pass_of_4 | | | |
| Receipt of group addressed service during TXI | PASSED Complete 1_pass_of_1 | | | |
| Mixed band operation | PASSED Complete 4_pass_of_4 | | | |
| Mixed band operation, inter-cell | PASSED Complete 4_pass_of_4 | | | |
| Mixed band operation, intra-cell | PASSED Complete 3_pass_of_3 | | | |
| Mixed band operation, Full | PASSED Complete 3_pass_of_3 | | | |
| SDS - Fully Witnessed Testing | | | | |
| SDS Type 1, 2 or 3 | | | | |
| SDS Type 1 | Not Supported | | | |
| SDS Type 2 | Not Supported | | | |

| | | | | |
|--|----------------------------------|--|--|--|
| SDS Type 3 | Not Supported | | | |
| SDS-TL | PASSED Complete 12_pass_of_12 | | | |
| Individually Addressed | PASSED Complete 3_pass_of_3 | | | |
| Group Addressed | PASSED Complete 3_pass_of_3 | | | |
| Using MS-ISDN dialling | Not Supported | | | |
| SDS Reception | PASSED Complete 6_pass_of_6 | | | |
| Using UCS2 coding scheme | PASSED Complete 2_pass_of_2 | | | |
| Using 7-bit coding scheme | Not Supported | | | |
| Using 8-bit Latin 1 coding scheme | PASSED Complete 2_pass_of_2 | | | |
| Using 8-bit Latin/Cyrillic coding scheme | PASSED Complete 2_pass_of_2 | | | |
| Using 8-bit Latin 9 coding scheme | Not Supported | | | |
| Store and Forward | PASSED Complete 3_pass_of_3 | | | |
| Individually Addressed | PASSED Complete 3_pass_of_3 | | | |
| Group Addressed | Not Supported | | | |
| Multipart SDS | | | | |
| Multipart SDS | Not Supported | | | |
| DGNA - Fully Witnessed Testing | | | | |
| Support for individually addressed DGNA | PASSED Complete 6_pass_of_6 | | | |
| Support for individually addressed DGNA assignment without attachment | PASSED Complete 4_pass_of_4 | | | |
| Support for individually addressed DGNA assignment with attachment as selected group | Not Supported | | | |

| | | | | |
|---|--------------------------------|--|--|--|
| Support for individually addressed DGNA assignment with attachment as scanned group | Not Supported | | | |
| Support for individually addressed DGNA assignment with rejected attachment | Not Supported | | | |
| Support for individually addressed assignment for pre-programmed group | PASSED Complete 4_pass_of_4 | | | |
| Support for group addressed DGNA | PASSED Complete 5_pass_of_5 | | | |
| Support for group addressed DGNA assignment | PASSED Complete 2_pass_of_2 | | | |
| Management of 'group assignment lifetime' | PASSED Complete 2_pass_of_2 | | | |
| Support for group addressed DGNA deassignment | PASSED Complete 1_pass_of_1 | | | |
| Tolerance of unsupported DGNA functions | | | | |
| MS tolerance of unsupported individual addressed DGNA signalling | Not Supported | | | |
| MS tolerance of unsupported group addressed DGNA signalling | Not Supported | | | |
| Auth - Fully Witnessed Testing | | | | |
| SwMI Initiated (non-mutual) Authentication | PASSED Complete 3_pass_of_3 | | | |
| Attach with authentication | PASSED Complete 1_pass_of_1 | | | |
| Roaming with authentication | PASSED Complete 1_pass_of_1 | | | |
| SwMI rejects MS during authentication | PASSED Complete 1_pass_of_1 | | | |
| MS rejects SwMI during authentication | Not Supported | | | |
| SwMI Initiated Authentication made Mutual by MS | PASSED Complete 2_pass_of_2 | | | |
| Attach with authentication | PASSED Complete 1_pass_of_1 | | | |

| | | | | |
|--|----------------------------------|--|--|--|
| Roaming with authentication | PASSED Complete 1_pass_of_1 | | | |
| TEI Query | | | | |
| TEI Query Operation | Not Supported | | | |
| PD - Fully Witnessed Testing | | | | |
| Context Management | PASSED Complete 11_pass_of_11 | | | |
| Context Activation | PASSED Complete 7_pass_of_7 | | | |
| User authentication | PASSED Complete 4_pass_of_4 | | | |
| Single Slot Packet Data | PASSED Complete 9_pass_of_9 | | | |
| Data Transfer | PASSED Complete 5_pass_of_5 | | | |
| Cell re-selection | PASSED Complete 3_pass_of_3 | | | |
| Packet Data Channel sharing | PASSED Complete 1_pass_of_1 | | | |
| Multi Slot Packet Data | PASSED Complete 2_pass_of_2 | | | |
| Data Transfer | PASSED Complete 2_pass_of_2 | | | |
| TEDS | | | | |
| TEDS with Context Activation | Not Supported | | | |
| TEDS Data Transmission, using LLC Optimisation | Not Supported | | | |
| TEDS Cell Reselection, using LLC Optimisation | Not Supported | | | |
| Mixed band operation | | | | |
| Mixed band operation, inter-cell | Not Supported | | | |
| Mixed band operation, intra-cell | Not Supported | | | |
| Mixed band operation, Full | Not Supported | | | |

| AL - Fully Witnessed Testing | | | | |
|--|----------------------------------|--|--|--|
| Ambience Listening | PASSED Complete 2_pass_of_2 | | | |
| SS-AL Call Setup | PASSED Complete 1_pass_of_1 | | | |
| MS initiated SS-AL disconnection | PASSED Complete 1_pass_of_1 | | | |
| No Indication to affected user | PASSED Complete 2_pass_of_2 | | | |
| Interaction with Transmit Inhibit | PASSED Complete 1_pass_of_1 | | | |
| AL can override TxI | Not Supported | | | |
| AL cannot override TxI | PASSED Complete 1_pass_of_1 | | | |
| E2EE - Fully Witnessed Testing | | | | |
| E2EE Voice Call | PASSED Complete 6_pass_of_6 | | | |
| Individual (P2P) call | PASSED Complete 4_pass_of_4 | | | |
| Group (P2MP) call | PASSED Complete 2_pass_of_2 | | | |
| Clear Voice Override (CVO): Acceptance | Not Supported | | | |
| Clear Voice Override (CVO): User Initiated | Not Supported | | | |
| Clear Voice Override (CVO): Automatic | Not Supported | | | |
| AIE - Fully Witnessed Testing | | | | |
| Security Class 2 Air Interface Encryption | PASSED Complete 15_pass_of_15 | | | |
| Location Updating and AI Signalling Protection | PASSED Complete 4_pass_of_4 | | | |
| TM-SCK provisioning during location updating | Not Supported | | | |

| | | | | |
|--|----------------------------------|--|--|--|
| Communications between parties using encryption | PASSED Complete 2_pass_of_2 | | | |
| Communications between clear and encrypted parties | PASSED Complete 3_pass_of_3 | | | |
| Communications between encrypted parties on a channel designated to operate in clear | PASSED Complete 2_pass_of_2 | | | |
| OTAR of TM-SCK | Not Supported | | | |
| Change of TM-SCK | PASSED Complete 2_pass_of_2 | | | |
| Packet Data with Class 2 Air Interface Encryption | PASSED Complete 2_pass_of_2 | | | |
| Tolerance of SwMI not supporting SCK-OTAR | Not Supported | | | |
| Security Class 3 Air Interface Encryption | PASSED Complete 20_pass_of_20 | | | |
| Clear Location Updating and AI Signalling Protection | PASSED Complete 3_pass_of_3 | | | |
| Encrypted Location Updating and AI Signalling Protection | PASSED Complete 4_pass_of_4 | | | |
| DCK Forwarding at MS request | Not Supported | | | |
| DCK Forwarding by SwMI (without MS request) | Not Supported | | | |
| DCK Retrieval | PASSED Complete 4_pass_of_4 | | | |
| CCK provisioning during location updating | PASSED Complete 3_pass_of_3 | | | |
| Communications between parties using encryption | PASSED Complete 2_pass_of_2 | | | |
| Communications between clear and encrypted parties | PASSED Complete 3_pass_of_3 | | | |
| Communications between encrypted parties on a channel designated to operate in clear | PASSED Complete 2_pass_of_2 | | | |
| OTAR of CCK | PASSED Complete 2_pass_of_2 | | | |

| | | | | |
|---|--------------------------------|--|--|--|
| Change of CCK | PASSED Complete 4_pass_of_4 | | | |
| Packet Data with Class 3 Air Interface Encryption | PASSED Complete 2_pass_of_2 | | | |
| Security Class 3G Air Interface Encryption | | | | |
| GCK Key Association setting | Not Supported | | | |
| Communications between parties using encryption | Not Supported | | | |
| Communications between clear and encrypted parties | Not Supported | | | |
| OTAR of GCK | Not Supported | | | |
| Change of GCK | Not Supported | | | |
| Management of CMG and GSKO | | | | |
| OTAR and change of CMG and GSKO | Not Supported | | | |
| Key Status demand | | | | |
| SCK Key Status demand | Not Supported | | | |
| GCK Key Status demand | Not Supported | | | |
| GSKO Key Status demand | Not Supported | | | |
| Change of Security Class for Fallback operation | | | | |
| Seamless change to Security Class 2 for BS Fallback operation | Not Supported | | | |
| Non-seamless change to Security Class 2 for BS Fallback operation | Not Supported | | | |
| Provisioning of TM-SCK for fallback to Security Class 2 operation | Not Supported | | | |
| Change to Security Class 1 for BS Fallback operation | Not Supported | | | |
| Change of Security Class (other than for Fallback operation) | | | | |
| Change between Security Class 3 and Security Class 3G | Not Supported | | | |
| Change between Security Class 2 and Security Class 3 | Not Supported | | | |
| Change from Security Class 3G to Security Class 2 | Not Supported | | | |

| | | | | |
|---|--------------------------------|--|--|--|
| Key Management for Secure Direct Mode Operation | | | | |
| OTAR of DM-SCK | Not Supported | | | |
| Change of DM-SCK | Not Supported | | | |
| SI - Fully Witnessed Testing | | | | |
| MS initiated Service Interaction | PASSED Complete 3_pass_of_3 | | | |
| MS initiated Circuit Mode Call during another Circuit Mode Call | PASSED Complete 1_pass_of_1 | | | |
| MS initiated Circuit Mode Call during Packet Mode Transfer | PASSED Complete 2_pass_of_2 | | | |
| MS initiated Packet Mode Transfer during Circuit Mode Call | Not Supported | | | |
| SwMI initiated Service Interaction | PASSED Complete 8_pass_of_8 | | | |
| SwMI initiated Circuit Mode Call during another Circuit Mode Call | PASSED Complete 6_pass_of_6 | | | |
| SwMI initiated Circuit Mode Call during Packet Mode Transfer | PASSED Complete 2_pass_of_2 | | | |
| SwMI initiated Packet Mode Transfer during Circuit Mode Call | Not Supported | | | |
| Call Waiting | | | | |
| Call Waiting in Individual Call | Not Supported | | | |
| Call Waiting in Group Call | Not Supported | | | |
| ED - Fully Witnessed Testing | | | | |
| Enable and temporary disable of an MS | PASSED Complete 5_pass_of_5 | | | |
| Enable and temporary disable of an MS without authentication | PASSED Complete 2_pass_of_2 | | | |
| Enable and temporary disable of an MS with authentication | Not Supported | | | |
| Registration of a temporary disabled MS | PASSED Complete 2_pass_of_2 | | | |

| | | | | |
|---|--------------------------------|--|--|--|
| Rejection of applicable invalid enable/disable requests | Not Supported | | | |
| Removable SIMs do not affect the subscriber or equipment that has been enabled/disabled | Not Supported | | | |
| Disabling of an MS during a call or while on the PDCH | PASSED Complete 1_pass_of_1 | | | |
| Permanent disable of an MS | PASSED Complete 2_pass_of_2 | | | |
| Permanent disable of an MS with authentication | PASSED Complete 1_pass_of_1 | | | |
| Permanently Disabled MS cannot send air interface signalling | PASSED Complete 1_pass_of_1 | | | |
| TKD - Fully Witnessed Testing | | | | |
| Delivery of Authentication Data | PASSED Complete 2_pass_of_2 | | | |
| Authentication Key Delivery | PASSED Complete 1_pass_of_1 | | | |
| ITSI Delivery | PASSED Complete 1_pass_of_1 | | | |
| Delivery of SCK | PASSED Complete 3_pass_of_3 | | | |
| SCK Delivery to SCK delivery | PASSED Complete 1_pass_of_1 | | | |
| SCK Delivery to SwMI | PASSED Complete 1_pass_of_1 | | | |
| SCK Delivery to SCK loading | PASSED Complete 1_pass_of_1 | | | |
| Delivery method | PASSED Complete 4_pass_of_4 | | | |
| Plain text on physical media | PASSED Complete 4_pass_of_4 | | | |
| Encrypted text on physical media | Not Supported | | | |
| Electronic transfer | Not Supported | | | |

| RUA - Fully Witnessed Testing | | | | |
|--|----------------------------------|--|--|--|
| Radio User Assignment | PASSED Complete 14_pass_of_14 | | | |
| Radio User Assignment at Location Updating | PASSED Complete 6_pass_of_6 | | | |
| Dispatcher initiated Radio User Assignment | PASSED Complete 2_pass_of_2 | | | |
| Radio User Dis-assignment | PASSED Complete 6_pass_of_6 | | | |
| LIP - Fully Witnessed Testing | | | | |
| Location Information Protocol | PASSED Complete 16_pass_of_16 | | | |
| LIP over SDS | PASSED Complete 8_pass_of_8 | | | |
| LIP over Packet Data | Not Supported | | | |
| Time based reporting | PASSED Complete 4_pass_of_4 | | | |
| Distance based reporting - NOT TESTABLE | Not Supported | | | |
| Reporting using Short reports | PASSED Complete 1_pass_of_1 | | | |
| Reporting using Long reports | PASSED Complete 2_pass_of_2 | | | |
| Reporting Enable & Disable | PASSED Complete 2_pass_of_2 | | | |
| User control of Reporting | Not Supported | | | |
| Temporary reporting control | PASSED Complete 1_pass_of_1 | | | |
| Trigger modification | PASSED Complete 1_pass_of_1 | | | |
| Control of Basic Location Parameters | Not Supported | | | |
| Immediate Location Reporting | PASSED Complete 1_pass_of_1 | | | |

| | | | | |
|---|----------------------------------|--|--|--|
| Reporting Lifetimes | Not Supported | | | |
| Error Reporting using Long Reports | PASSED Complete 1_pass_of_1 | | | |
| Error Reporting using Short Reports | PASSED Complete 1_pass_of_1 | | | |
| Positioning on Individual Call Setup | Not Supported | | | |
| CF - Fully Witnessed Testing | | | | |
| Call Forwarding Unconditional | PASSED Complete 1_pass_of_1 | | | |
| Call Forwarding Unconditional Individual Call | PASSED Complete 1_pass_of_1 | | | |
| Call Forwarding Unconditional SDS | Not Supported | | | |
| Call Forwarding Unconditional Status | Not Supported | | | |
| Call Forwarding Conditional | PASSED Complete 3_pass_of_3 | | | |
| Call Forwarding Conditional Individual Call | PASSED Complete 3_pass_of_3 | | | |
| Call Forwarding Information Displayed | PASSED Complete 4_pass_of_4 | | | |
| Call Forwarding Information Displayed | PASSED Complete 4_pass_of_4 | | | |
| Management of Call Forwarding | | | | |
| Change of Call Forwarding Activation Status by Served User | Not Supported | | | |
| Setting of Call Forwarding Parameters by Served User | Not Supported | | | |
| Callout - Fully Witnessed Testing | | | | |
| Full Callout | PASSED Complete 15_pass_of_15 | | | |
| Individually Addressed Full Callout with request for Terminal Receipt message and with request for User Receipt message | PASSED Complete 2_pass_of_2 | | | |

| | | | | |
|--|--------------------------------|--|--|--|
| Group Addressed Full Callout without request for Terminal Receipt message and without request for User Receipt message | PASSED Complete 2_pass_of_2 | | | |
| Using current selected group during Full Callout | PASSED Complete 1_pass_of_1 | | | |
| Full Callout with immediate change to Callout Group | PASSED Complete 2_pass_of_2 | | | |
| Full Callout with change to Callout Group on non-rejecting user response | PASSED Complete 1_pass_of_1 | | | |
| Full Callout with rejecting User Receipt message | PASSED Complete 1_pass_of_1 | | | |
| Full Callout with timeout for User Receipt message | PASSED Complete 1_pass_of_1 | | | |
| Callout Incident Information messages | PASSED Complete 2_pass_of_2 | | | |
| Group Call to Callout Group | PASSED Complete 4_pass_of_4 | | | |
| End of Full Callout | PASSED Complete 3_pass_of_3 | | | |
| Simple Callout | PASSED Complete 6_pass_of_6 | | | |
| Individually Addressed Callout with request for Terminal Receipt message and with request for User Receipt message | PASSED Complete 1_pass_of_1 | | | |
| Individually Addressed Callout with request for Terminal Receipt message and without request for User Receipt message | PASSED Complete 1_pass_of_1 | | | |
| Group Addressed Callout without request for Terminal Receipt message and without request for User Receipt message | PASSED Complete 1_pass_of_1 | | | |
| Group Addressed Callout without request for Terminal Receipt message and with request for User Receipt message | PASSED Complete 1_pass_of_1 | | | |
| Simple Callout with rejecting User Receipt message | PASSED Complete | | | |

| | | | | |
|--|----------------------------------|--|--|--|
| | 1_pass_of_1 | | | |
| Simple Callout with timeout for User Receipt message | PASSED Complete 1_pass_of_1 | | | |
| Interaction with other services and events | PASSED Complete 25_pass_of_25 | | | |
| Interaction with previous Callout | PASSED Complete 2_pass_of_2 | | | |
| Interaction with emergency call | PASSED Complete 4_pass_of_4 | | | |
| Interaction with non-emergency call | PASSED Complete 11_pass_of_11 | | | |
| Interaction with data and status | PASSED Complete 6_pass_of_6 | | | |
| Interaction with local services | Not Supported | | | |
| Manual exit | PASSED Complete 2_pass_of_2 | | | |
| Callout Test and Callout Availability | | | | |
| Callout Test | Not Supported | | | |
| Callout Availability | Not Supported | | | |
| Callout Availability request | Not Supported | | | |
| Callout Text and Callout Pre-Coded Status | PASSED Complete 10_pass_of_10 | | | |
| Callout Text | PASSED Complete 5_pass_of_5 | | | |
| Concatenated Callout Text using Callout Specific Concatenation | Not Supported | | | |
| Concatenated Callout Text using mSDS | Not Supported | | | |
| Callout Pre-Coded Status | PASSED Complete 5_pass_of_5 | | | |
| Storage of Callout Information | PASSED Complete 2_pass_of_2 | | | |
| Viewing Callout information from previous Callout(s) | PASSED Complete 1_pass_of_1 | | | |



| | | | | |
|--|--------------------------------|--|--|--|
| Deletion of Callout information from previous Callout(s) | PASSED Complete 1_pass_of_1 | | | |
|--|--------------------------------|--|--|--|