

## DMO TETRA Interoperability Certificate

### Motorola Solutions, MTM800FuG, Gateway

Berlin, January 2018

Latest Certified MTM800FuG SW Release:	MR16.1
Latest Certified MTM800FuG HW Release:	MT953CG

ISCTI (Istituto Superiore delle Comunicazioni e delle Tecnologie dell'Informazione) certifies that the Motorola Solutions MTM800FuG has been subject to interoperability testing for the "certified" features listed on second page of this certificate with the following DM Terminals Motorola Solutions MTM800FuG, Motorola Solutions MTP850FuG, Motorola Solutions MTP6650, Motorola Solutions MTP6750 and the Airbus D&S Airbus Tetra System Rel6.0 SwMI in accordance with the TETRA Interoperability Profiles, TIP compliance Test Plan and related TETRA interoperability requirement tables.

The table lists all the available TETRA interoperability profiles, and summarizes the main functionalities of every profile according to the TETRA interoperability requirement tables.

A feature is "Certified" when it has been successfully tested during the last test session with one of the testing method described in the TETRA process document part 1 (TPD001-01).

A breakdown into the feature details is given in the Feature Compliance Overview section of this certificate.

This certificate has been issued following a fully witnessed single test session between Airbus D&S and Motorola Solutions on January 2018. Detailed test results are listed in the Test Report associated to this Certificate. Details and explanation about the procedure used to provide verdicts are in the TIC process TPD001-01.

IOP test engineer



Franco Pangallo

Head of the Procedure



Ivano Luciani

Radio Office Manager



Giuseppe Pierri

ISCTI - V.le America 201, 00144 Rome, Italy  
Ph.: +39 06 5444 2135, Fax: +39 06 5410904  
e-mail: [tetra\\_ctc.iscom@mise.gov.it](mailto:tetra_ctc.iscom@mise.gov.it)  
Web: [www.mise.gov.it](http://www.mise.gov.it)

Date of issue:

1 March 2018

v1

## Certified features

MTM800FuG Test Session Berlin, January 2018 Motorola Solutions MTM800FuG	Airbus D&S Airbus Tetra System Rel6.0	Motorola Solutions MTM800FuG	Motorola Solutions MTP850FuG	Motorola Solutions MTP6650	Motorola Solutions MTP6750
<b>Hardware</b>	DXTip	MT953CG	PT912BG	PTAR952AC	PT952ACE
<b>Software</b>	Rel 6.0	MR16.1	MR16_a	MR16.1	MR16.1
<b>Feature TTR002-02 Gateway</b>					
Registration	Certified	Certified	Certified	Certified	Certified
Presence Signal	Certified	Certified	Certified	Certified	Certified
Usage Restriction Types	Certified	Certified	Certified	Certified	Certified
Individual Call	Certified	Certified	Certified	Certified	Certified
Group Call	Certified	Certified	Certified	Certified	Certified
Status	Certified	Certified	Certified	Certified	Certified
SDS-TL	Certified	Certified	Certified	Certified	Certified
Pre-emption	Certified	Certified	Certified	Certified	Certified
<b>Feature TTR002-05 AIE Gateway</b>					
DMO AIE Encryption	Certified	Certified	Certified	Certified	Certified

## Feature Compliance Overview

The first pages of this certificate provide an indication about the main interoperable TETRA features for each TIP specification (as described in the TIC-RT). The main interoperable TETRA features' results depend on a set of sub-feature, the verdicts associated to each sub-feature are directly derived from the analysis of the performed test cases.

The results associated to each feature and sub-feature are shown in the "Feature compliance report" table below. The main features are indicated with blue background and the associated sub-features (or second level features) have white background.

The verdict assigned to a sub-feature as showed on Page 2, is derived by the Feature compliance report tables.

Verdict	Definition
<b>Certified</b>	All required tests have been performed and passed.
<b>Partial</b>	Not all the required test cases have been performed, but none have failed.
-	Feature cannot be certified e.g. it is not supported by at least one product, no tests were performed, or some tests were performed but at least one failed.

The verdict assigned to a sub-feature is the result of the analysis of the test case results listed in the Test Report. The verdict assigned to each sub-feature is derived from one or several test case results or test steps result, the TETRA Interoperability requirement tables (TIC-RTs) indicate the link between sub-features and test cases for the certified set of equipment capabilities (see Test Report).

Verdict	Definition
<b>Passed</b>	All mandated tests or steps of tests linked to this functionality (as per TIC-RT indication) are compliant with the TIP specification relevant to this feature.
<b>Incomplete</b>	Not all Mandated tests (as per TIC-RT indication) have been executed
<b>Failed</b>	At least one of mandated test or steps of tests linked to this functionality failed to match the TIP specification relevant to this feature or sub-feature
	The Result is not relevant (or needed) to verify the SwMI and/or Gateway features

The verdict associated to the feature gives also indication about the method used to test that

feature. The allowed testing Methods are listed in the table below, a complete description of the procedures and constraints associated to each of them can be found in the "TPD001-01 TETRA Interoperability Certification Process Description" document.

Testing Method	Description
<b>Complete</b>	All mandated tests associated to the feature have been executed.
<b>Spot</b>	Only a selection of the mandatory test cases associated to the feature or sub-feature has been executed during the test session. These tests are a subset of the tests performed on an equivalent software which has been "completely" tested against the same functionality on a different equipment, see manufacturer declaration in the associated Test Report
<b>Regression</b>	Only a selection of the mandatory test cases associated to the feature or sub-feature has been executed during the test session. These tests are a subset of the tests performed on a previous version of the same software which has been "completely" tested in a previous test session against the same functionality, see manufacturer definition in the associated Test Report
<b>Regression on spot</b>	The regression method (see the previous item) has been applied at this session on the verdicts from the referenced (previous) session where the spot testing method (see above) had been applied.
<b>Witnessed</b>	The TIP heading lines in the Feature Compliance Report indicate whether each TIP is partially or fully witnessed by the Certification Body. Additionally, for a partially-witnessed TIP, the number of witnessed test cases that passed is shown for each the feature and sub-feature. There may have been some un-witnessed passed tests and they will have been found to be successful based on the log file evaluation

Depending on equipment capabilities declared by the manufacturer, some features or sub-feature cannot be tested. The following table describes meaning of the used abbreviation:

Indication	Definition
<b>Not supported</b>	The SwMI and/or DMO Terminal and/or Gateway do not support the minimum features required to verify these items

ISCTI has made every effort to ensure that every result have been correctly evaluated in accordance with the relevant TIPs, Test Plans and TIC-RTs. ISCTI has no liability for the test results, or towards the manufacturers.

The table on the following page lists HW and SW releases of the SwMI, the MTM800FuG and

the DM Terminals under test in the test session and the used TIP specifications, Test Plans, and TIC-RTs.

This Certificate and Certificates from previous test sessions are available on the TCCA website (<https://tandcca.com/interoperability/interoperability-certificates-and-test-reports/>).

The feature results are shown in the tables below.

### Information on equipment under test and document references

Test Session Place/Date	BDBOS-ZPL, Berlin, January 2018
SwMI Type	Airbus D&S TETRA System Rel 6
SwMI HW Release	M98F(DXTip)
SwMI SW Release	6.0
MTM800FuG Type	Motorola Solutions MTM800FuG
MTM800FuG HW release	MT953CG
MTM800FuG SW release	MR16.1
DM Terminal 1 Type	Motorola Solutions MTM800FuG
DM Terminal 1 HW release	MT953CG
DM Terminal 1 SW release	MR16.1
DM Terminal 2 Type	Motorola Solutions MTP850FuG
DM Terminal 2 HW release	PT912BG
DM Terminal 2 SW release	MR16_a
DM Terminal 3 Type	Motorola Solutions MTP6650
DM Terminal 3 HW release	PTAR952AC
DM Terminal 3 SW release	MR16.1
DM Terminal 4 Type	Motorola Solutions MTP6750
DM Terminal 4 HW release	PT952ACE

<b>DM Terminal 4 SW release</b>	MR16.1
<b>TIP Specs and TIP Compliance Test Plans</b>	
<b>Gateway</b>	TTR002-02 v110 IOP002-02 v110 TIC-RT002-02 v116
<b>AIE Gateway</b>	TTR005-02 v100 IOP002-05 v100 TIC-RT002-05 v005

## Feature compliance report

MTM800FuG Test Session BDBOS-ZPL , January 2018 Motorola Solutions MTM800FuG	Airbus D&S Airbus Tetra System Rel6.0	Motorola Solutions MTM800FuG	Motorola Solutions MTP850FuG	Motorola Solutions MTP6650	Motorola Solutions MTP6750
<b>Feature TTR002-02 Gateway – fully witnessed testing</b>					
Registration	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3
Registration	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3
Presence Signal	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1
Presence Signal	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1
Usage Restriction Types	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4
Single Address	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1
Two Addresses	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1
Three addresses	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1
Single MNI	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1
Complying with URT Validity Time	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
Individual Call	PASSED Complete 7_pass_of_7	PASSED Complete 7_pass_of_7	PASSED Complete 7_pass_of_7	PASSED Complete 7_pass_of_7	PASSED Complete 7_pass_of_7
DMO to TMO individual call	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3
TMO to DMO individual call	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4

MTM800FuG Test Session BDBOS-ZPL , January 2018 Motorola Solutions MTM800FuG	Airbus D&S Airbus Tetra System Rel6.0	Motorola Solutions MTM800FuG	Motorola Solutions MTP850FuG	Motorola Solutions MTP6650	Motorola Solutions MTP6750
Group Call	PASSED Complete 16_pass_of_16	PASSED Complete 16_pass_of_16	PASSED Complete 16_pass_of_16	PASSED Complete 16_pass_of_16	PASSED Complete 16_pass_of_16
DMO to TMO group call	PASSED Complete 6_pass_of_6	PASSED Complete 6_pass_of_6	PASSED Complete 6_pass_of_6	PASSED Complete 6_pass_of_6	PASSED Complete 6_pass_of_6
TMO to DMO group call	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3
Call Maintenance (including Changeover)	PASSED Complete 7_pass_of_7	PASSED Complete 7_pass_of_7	PASSED Complete 7_pass_of_7	PASSED Complete 7_pass_of_7	PASSED Complete 7_pass_of_7
Status	PASSED Complete 10_pass_of_10	PASSED Complete 10_pass_of_10	PASSED Complete 10_pass_of_10	PASSED Complete 10_pass_of_10	PASSED Complete 10_pass_of_10
Group addressed Status	PASSED Complete 8_pass_of_8	PASSED Complete 8_pass_of_8	PASSED Complete 8_pass_of_8	PASSED Complete 8_pass_of_8	PASSED Complete 8_pass_of_8
Individually addressed Status	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2
SDS-TL	PASSED Complete 9_pass_of_9	PASSED Complete 9_pass_of_9	PASSED Complete 9_pass_of_9	PASSED Complete 9_pass_of_9	PASSED Complete 9_pass_of_9
Group Addressed SDS-TL	PASSED Complete 8_pass_of_8	PASSED Complete 8_pass_of_8	PASSED Complete 8_pass_of_8	PASSED Complete 8_pass_of_8	PASSED Complete 8_pass_of_8
Individually Addressed SDS-TL	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1
Multipart SDS-TL	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
Pre-emption	PASSED Complete 6_pass_of_6	PASSED Complete 6_pass_of_6	PASSED Complete 6_pass_of_6	PASSED Complete 6_pass_of_6	PASSED Complete 6_pass_of_6
Pre-emption of DMO terminal	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2
Pre-emption of Gateway	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4



<b>MTM800FuG</b> <b>Test Session</b> <b>BDBOS-ZPL , January</b> <b>2018</b> <b>Motorola Solutions</b> <b>MTM800FuG</b>	<b>Airbus D&amp;S</b> <b>Airbus Tetra</b> <b>System Rel6.0</b>	<b>Motorola</b> <b>Solutions</b> <b>MTM800FuG</b>	<b>Motorola</b> <b>Solutions</b> <b>MTP850FuG</b>	<b>Motorola</b> <b>Solutions</b> <b>MTP6650</b>	<b>Motorola</b> <b>Solutions</b> <b>MTP6750</b>
<b>Feature TTR002-05 Gateway – fully witnessed testing</b>					
DMO AIE Encryption	PASSED Complete 11_pass_of_11	PASSED Complete 11_pass_of_11	PASSED Complete 11_pass_of_11	PASSED Complete 11_pass_of_11	PASSED Complete 11_pass_of_11
Encrypted Group Calls	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2
Encrypted Individual Calls	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1
Encrypted Status messages	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1
Pre-emption of encrypted activity	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1
Handling mismatched keys	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4
Encrypted SDS-TL Messages	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2