

# TETRA Interoperability Certificate

## Trunked Mode Operation

Eastcom, eTRA V3.0 – SwMI  
Eastcom, T8680 – Terminal

Test Session #190, hosted by Eastcom in Hangzhou, China - November, 2021  
**Remotely Witnessed Session**

Latest Certified SwMI SW Release:	V4.0.1.2	Latest Certified MS SW Release:	V10.25
Latest Certified SwMI HW Release:	V3.0.0.0	Latest Certified MS HW Release:	TP01SXN

ISCTI (Istituto Superiore delle Comunicazioni e delle Tecnologie dell'Informazione) certifies, that the EASTCOM eTRA SwMI and the EASTCOM T8680 Terminal have been subject to interoperability testing for the "Certified" features listed on the second page of this certificate, in accordance with the TETRA Interoperability Profiles, TIP compliance Test Plan and the related TETRA interoperability requirement tables.

The table lists all the available TETRA interoperability profiles, and summarises the main functionalities of every profile according to the TETRA interoperability requirement tables.

A feature is "Certified" when it has been successfully tested during the last test session with one of the testing method described in the TETRA process document part 1 (TPD001-01).

A breakdown into the feature details is given in the Feature Compliance Overview section of this certificate.

This certificate has been issued following a fully witnessed single test session between Eastcom and Eastcom in November, 2021. **Certification Body was not present at the host lab during the session, but witnessed testing remotely.** Detailed test results are listed in the Test Report associated to this Certificate.


Details and explanation about the procedure used to provide verdicts are in the TIC process TPD001-01.

**IOP Test Engineer**




Stefano Francesini

**Head of the Procedure**



Anna Stefania Michelangeli

**Radio Office Manager**



Anna Stefania Michelangeli

ISCTI - V.le America 201, 00144 Rome, Italy  
Ph: +39 06 5444 2663, Fax: +39 06 5410904  
e-mail: tetra\_ctc.iscom@mise.gov.it  
Web: www.mise.gov.it

**Date of Issue:**  
**07 February 2022**  
**v 1**

## Certified features

Tetra Association TTR001-01: Core	
Registration	Certified
Group Management	Certified
Group call	Certified
Individual call	Certified
Status messages	Certified
Pre-emptive Priority Call	Certified
Emergency Call	Certified
Cell Re-selection	Certified
PSTN interconnect	Certified
MS-ISDN Numbering	-
In Call Signalling	Certified
Subscriber Class Procedures	Certified
Common Secondary Control Channels	Certified
BS Fallback Operation	Certified
Energy Economy Mode	-
Transmit Inhibit	Certified
Mixed band operation	-
Tetra Association TTR001-02: SDS	
SDS Type 1, 2 or 3	-
SDS-TL	Certified
Store and Forward	Certified
Multipart SDS	Certified
Tetra Association TTR001-03: DGNA	
Support for individually addressed DGNA	Certified
Support for group addressed DGNA	Certified
Tolerance of unsupported DGNA functions	-
Tetra Association TTR001-04: AUTH	
SwMI Initiated (non-mutual) Authentication	Certified
SwMI Initiated Authentication made	Certified

<b>Mutual by MS</b>	
<b>TEI Query</b>	-
<b>Tetra Association TTR001-05: PD</b>	
<b>Context Management</b>	Certified
<b>Single Slot Packet Data</b>	Certified
<b>Multi Slot Packet Data</b>	Certified
<b>TEDS</b>	-
<b>Mixed band operation</b>	-
<b>Tetra Association TTR001-09: AL</b>	
<b>Ambience Listening</b>	Certified
<b>Interaction with Transmit Inhibit</b>	Certified
<b>Tetra Association TTR001-12: SI</b>	
<b>MS initiated Service Interaction</b>	Certified
<b>SwMI initiated Service Interaction</b>	Certified
<b>Call Waiting</b>	Certified
<b>Tetra Association TTR001-13: ED</b>	
<b>Enable and temporary disable of an MS</b>	Certified
<b>Permanent disable of an MS</b>	-
<b>Tetra Association TTR001-19: LIP</b>	
<b>Location Information Protocol</b>	Certified
<b>Tetra Association TTR001-20: CF</b>	
<b>Call Forwarding Unconditional</b>	Certified
<b>Call Forwarding Conditional</b>	Certified
<b>Call Forwarding Information Displayed</b>	-
<b>Management of Call Forwarding</b>	-

## Feature Compliance Overview

The first pages of this certificate provide an indication about the main interoperable TETRA features for each TIP specification (as described in the TIC-RT). The main interoperable TETRA features' results depend on a set of sub-features, the verdicts associated to each sub-feature are directly derived from the analysis of the performed test cases.

The results associated to each feature and sub-feature are shown in the "Feature Compliance Report" table below. The main features are indicated with blue background and the associated sub-features (or second level features) have a white background.

The outcome assigned to a feature as shown on page 2, is derived by the Feature Compliance Report tables.

Outcome	Definition
<b>Certified</b>	All required tests have been performed and passed
<b>Partial</b>	Not all the required tests have been performed but none have failed
–	Feature cannot be certified e.g. it is not supported by at least one product, no tests were performed, or some tests were performed but at least one failed

The outcome is derived from the verdict assigned to a sub feature which is the result of an analysis of the test case results listed in the Test Report. The verdict assigned to each sub-feature is derived from one or several test case results or test steps result, the TETRA Interoperability requirement tables (TIC-RTs) indicate the link between sub-features and test cases for the certified set of equipment capabilities (see Test Report).

Verdict	Definition
<b>Passed</b>	All mandated tests or steps of tests linked to this functionality (as per TIC-RT indication) are compliant with the TIP specification relevant to this feature or sub-feature
<b>Incomplete</b>	Not all mandated tests (as per TIC-RT indication) have been executed
<b>Failed</b>	At least one of mandated test or steps of tests linked to this functionality failed to match the TIP specification relevant to this feature or sub-feature

The verdict associated to the feature or sub-feature gives also indication about the method used to test that feature or sub-feature. The allowed testing Methods are listed in the table below, a complete description of the procedures and constraints associated to each of them can be found in the "TPD001-01 TETRA Interoperability Certification Process Description" document.

Testing Method	Description
<b>Complete</b>	All mandated tests associated to the feature or sub-feature have been executed
<b>Spot</b>	Only a selection of the mandatory test cases associated to the feature or sub-feature has been executed during the test session. These tests are a subset of the tests performed on an equivalent

	software which has been "completely" tested against the same functionality on a different equipment, see manufacturer declaration in the associated Test Report
<b>Regression</b>	Only a selection of the mandatory test cases associated to the feature or sub-feature has been executed during the test session. These tests are a subset of the tests performed on a previous version of the same software which has been "completely" tested in a previous test session against the same functionality, see manufacturer definition in the associated Test Report
<b>Regression on spot</b>	The regression method (see the previous item) has been applied at this session on the verdicts from the referenced (previous) session where the spot testing method (see above) had been applied.
<b>Witnessed</b>	The TIP heading lines in the Feature Compliance Report indicate whether each TIP is partially or fully witnessed by the Certification Body. Additionally, for a partially-witnessed TIP, the number of witnessed test cases that passed is shown for each the feature and sub-feature. There may have been some un-witnessed passed tests and they will have been found to be successful based on the log file evaluation

Depending on equipment capabilities declared by the manufacturer, some features or sub features cannot be tested. The following table describes meaning of the used abbreviation:

Indication	Definition
<b>Not Supported</b>	The SwMI and/or MS do not support the minimum features required to verify these items

ISCTI has made every effort to ensure that every result has been correctly evaluated in accordance with the relevant TIPs, Test Plans and TIC-RTs. ISCTI has no liability for the test results, or towards the manufacturers.

The tables on the following page list HW and SW releases of SwMI and Terminal under test and the used TIP specifications, Test Plans and TIC-RTs.

This Certificate and Certificates from previous test sessions are available on the TCCA web site (<https://tandcca.com/interoperability/interoperability-certificates-and-test-reports/>).  
The feature results are shown in the tables below.

### Information on equipment under test

<b>SwMI Manufacturer</b>	EASTCOM
<b>SwMI Model</b>	eTRA
<b>SwMI HW Release</b>	V3.0.0.0
<b>SwMI SW Release</b>	V4.0.1.2
<b>MS Manufacturer</b>	EASTCOM
<b>MS Model</b>	T8680
<b>MS HW Release</b>	TP01SXN
<b>MS SW Release</b>	V10.25

### Document references

<b>Core</b>	TTR001-01 v6.4.0 IOP001-01 v3.4.0 TIC-RT001-01 v279
<b>SDS</b>	TTR001-02 v2.1.3 IOP001-02 v2.2.0 TIC-RT001-02 v225
<b>DGNA</b>	TTR001-03 v2.2.0 IOP001-03 v2.3.0 TIC-RT001-03 v235
<b>AUTH</b>	TTR001-04 v3.1.0 IOP001-04 v2.0.0 TIC-RT001-04 v233
<b>PD</b>	TTR001-05 v4.1.0 IOP001-05 v4.1.0 TIC-RT001-05 v408
<b>AL</b>	TTR001-09 v2.1.0 IOP001-09 v1.2.0 TIC-RT001-09 v132

<b>SI</b>	TTR001-12 v1.1.0 IOP001-12 v1.0.0 TIC-RT001-12 v137
<b>ED</b>	TTR001-13 v2.1.0 IOP001-13 v1.0.0 TIC-RT001-13 v153
<b>LIP</b>	TTR001-19 v1.1.0 IOP001-19 v1.3.0 TIC-RT001-19 v118
<b>CF</b>	TTR001-20 v1.0.1 IOP001-20 v1.0.0 TIC-RT001-20 v117

## Feature compliance report

Core - <b>Remotely</b> Fully Witnessed Testing	
Registration	PASSED Complete 6_pass_of_6
Initial registration	PASSED Complete 2_pass_of_2
SwMI initiated location updating	PASSED Complete 1_pass_of_1
LA timer based Periodic location updating	PASSED Complete 2_pass_of_2
De-registration	PASSED Complete 1_pass_of_1
Group Management	PASSED Complete 11_pass_of_11
Single group attachment	PASSED Complete 7_pass_of_7
Multiple group attachment	PASSED Complete 6_pass_of_6
MS initiated group detachment	Not Supported
SwMI initiated group detachment	Not Supported
SwMI initiated group attachment	Not Supported
Group call	PASSED Complete 14_pass_of_14
Normal group call	PASSED Complete 5_pass_of_5
Late entry	PASSED Complete 1_pass_of_1
Priority Group scanning	PASSED Complete 3_pass_of_3
Call setup modifications	PASSED Complete 1_pass_of_1



Resource Queuing based on Call Priority	PASSED Complete 2_pass_of_2
Broadcast Call	PASSED Complete 2_pass_of_2
Limited coverage notification	Not Supported
Individual call	PASSED Complete 10_pass_of_10
Simplex individual call	PASSED Complete 4_pass_of_4
Duplex individual call	PASSED Complete 2_pass_of_2
Call setup modifications	Not Supported
Resource Queuing based on Call Priority	PASSED Complete 4_pass_of_4
Indication of imminent call disconnection	Not Supported
Status messages	PASSED Complete 4_pass_of_4
Individual addressed Status transfer	PASSED Complete 1_pass_of_1
Group addressed Status transfer	PASSED Complete 3_pass_of_3
Pre-emptive Priority Call	PASSED Complete 7_pass_of_7
Pre-emption of Resources	PASSED Complete 2_pass_of_2
Pre-emption of Busy Users	PASSED Complete 5_pass_of_5
Emergency Call	PASSED Complete 3_pass_of_3
Pre-emption of Resources	PASSED Complete 2_pass_of_2
Pre-emption of Busy Users	PASSED Complete 1_pass_of_1
Call setup modifications	Not Supported
Call disconnection by non-call owner	Not Supported

Cell Re-selection	PASSED Complete 13_pass_of_13
Undeclared	PASSED Complete 1_pass_of_1
Unannounced	PASSED Complete 2_pass_of_2
Announced - with Call Restoration	PASSED Complete 6_pass_of_6
Announced - without Call Restoration	PASSED Complete 4_pass_of_4
Expedited	Not Supported
Graceful Service Degradation Mode (GSDM)	Not Supported
Single-site operation	Not Supported
PSTN interconnect	PASSED Complete 6_pass_of_6
TETRA Originated Call	PASSED Complete 2_pass_of_2
PSTN Originated Call	PASSED Complete 1_pass_of_1
DTMF over-dial	PASSED Complete 1_pass_of_1
Emergency Telephone Calls	PASSED Complete 2_pass_of_2
MS-ISDN Numbering	
MS ISDN - Voice Call	Not Supported
MS-ISDN Status	Not Supported
In Call Signalling	PASSED Complete 8_pass_of_8
Slow Signalling on Traffic Channel (SACCH)	PASSED Complete 4_pass_of_4
Fast Signalling on Traffic Channel (FACCH)	PASSED Complete 4_pass_of_4
Subscriber Class Procedures	PASSED Complete 5_pass_of_5

Cell Selection based on Subscriber Class	PASSED Complete 2_pass_of_2
Subscriber Class Delivery during Location Update	Not Supported
Use of Subscriber Class Preference Levels	PASSED Complete 3_pass_of_3
Common Secondary Control Channels	PASSED Complete 7_pass_of_7
One C-SCCH per cell	PASSED Complete 5_pass_of_5
Two C-SCCH per cell	PASSED Complete 2_pass_of_2
Three C-SCCH per cell	PASSED Complete 2_pass_of_2
BS Fallback Operation	PASSED Complete 16_pass_of_16
Switch to/from BS Fallback Operation	PASSED Complete 2_pass_of_2
Roaming to avoid a cell in BS Fallback Operation	PASSED Complete 6_pass_of_6
Roaming to and from a cell in BS Fallback operation offering some services	Not Supported
Services with BS Fallback Operation	PASSED Complete 8_pass_of_8
Ignore a cell in Fallback Operation	Not Supported
User selectable Fallback behaviour	Not Supported
Energy Economy Mode	
Energy Economy Mode Operation	Not Supported
Transmit Inhibit	PASSED Complete 9_pass_of_9
TXI Activation & De-Activation	PASSED Complete 4_pass_of_4
TXI Activation & De-Activation with TxI Status available to the Dispatcher	PASSED Complete 4_pass_of_4

Receipt of group addressed service during TXI	PASSED Complete 1_pass_of_1
Mixed band operation	
Mixed band operation, inter-cell	Not Supported
Mixed band operation, intra-cell	Not Supported
Mixed band operation, Full	Not Supported
<b>SDS - Remotely Fully Witnessed Testing</b>	
SDS Type 1, 2 or 3	
SDS Type 1	Not Supported
SDS Type 2	Not Supported
SDS Type 3	Not Supported
SDS-TL	PASSED Complete 16_pass_of_16
Individually Addressed	PASSED Complete 4_pass_of_4
Group Addressed	PASSED Complete 4_pass_of_4
Using MS-ISDN dialling	Not Supported
SDS Reception	PASSED Complete 7_pass_of_7
Using UCS2 coding scheme	PASSED Complete 2_pass_of_2
Using 7-bit coding scheme	PASSED Complete 2_pass_of_2
Using 8-bit Latin 1 coding scheme	PASSED Complete 2_pass_of_2
Using 8-bit Latin/Cyrillic coding scheme	PASSED Complete 2_pass_of_2
Using 8-bit Latin 9 coding scheme	Not Supported
Store and Forward	PASSED Complete 4_pass_of_4

Individually Addressed	PASSED Complete 4_pass_of_4
Group Addressed	Not Supported
Multipart SDS	PASSED Complete 3_pass_of_3
Multipart SDS	PASSED Complete 3_pass_of_3
<b>DGNA - Remotely Fully Witnessed Testing</b>	
Support for individually addressed DGNA	PASSED Complete 13_pass_of_13
Support for individually addressed DGNA assignment without attachment	PASSED Complete 4_pass_of_4
Support for individually addressed DGNA assignment with attachment as selected group	PASSED Complete 2_pass_of_2
Support for individually addressed DGNA assignment with attachment as scanned group	PASSED Complete 3_pass_of_3
Support for individually addressed DGNA assignment with rejected attachment	Not Supported
Support for individually addressed assignment for pre-programmed group	PASSED Complete 5_pass_of_5
Support for assigning multiple DGNA groups	Not Supported
Support for assigning multiple pre-programmed groups	Not Supported
Support for removing multiple DGNA groups	PASSED Complete 1_pass_of_1
Support for retaining DGNA groups over a power cycle	PASSED Complete 2_pass_of_2
Support for group addressed DGNA	PASSED Complete 5_pass_of_5
Support for group addressed DGNA assignment	PASSED Complete 2_pass_of_2
Management of 'group assignment lifetime'	PASSED Complete 2_pass_of_2
Support for group addressed DGNA deassignment	PASSED Complete 1_pass_of_1
Tolerance of unsupported DGNA functions	

MS tolerance of unsupported individual addressed DGNA signalling	Not Supported
MS tolerance of unsupported group addressed DGNA signalling	Not Supported
<b>Auth - Remotely Fully Witnessed Testing</b>	
SwMI Initiated (non-mutual) Authentication	PASSED Complete 3_pass_of_3
Attach with authentication	PASSED Complete 1_pass_of_1
Roaming with authentication	PASSED Complete 1_pass_of_1
SwMI rejects MS during authentication	PASSED Complete 1_pass_of_1
MS rejects SwMI during authentication	Not Supported
SwMI Initiated Authentication made Mutual by MS	PASSED Complete 2_pass_of_2
Attach with authentication	PASSED Complete 1_pass_of_1
Roaming with authentication	PASSED Complete 1_pass_of_1
TEI Query	
TEI Query Operation	Not Supported
<b>PD - Remotely Fully Witnessed Testing</b>	
Context Management	PASSED Complete 11_pass_of_11
Context Activation	PASSED Complete 7_pass_of_7
User authentication	PASSED Complete 4_pass_of_4
Single Slot Packet Data	PASSED Complete 10_pass_of_10
Data Transfer	PASSED Complete 6_pass_of_6
Cell re-selection	PASSED Complete 3_pass_of_3

Packet Data Channel sharing	PASSED Complete 1_pass_of_1
Multi Slot Packet Data	PASSED Complete 2_pass_of_2
Data Transfer	PASSED Complete 2_pass_of_2
TEDS	
TEDS with Context Activation	Not Supported
TEDS Data Transmission, using LLC Optimisation	Not Supported
TEDS Cell Reselection, using LLC Optimisation	Not Supported
Mixed band operation	
Mixed band operation, inter-cell	Not Supported
Mixed band operation, intra-cell	Not Supported
Mixed band operation, Full	Not Supported

<b>AL - Remotely Fully Witnessed Testing</b>	
Ambience Listening	PASSED Complete 5_pass_of_5
SS-AL Call Setup	PASSED Complete 2_pass_of_2
MS initiated SS-AL disconnection	PASSED Complete 3_pass_of_3
No Indication to affected user	PASSED Complete 5_pass_of_5
Interaction with Transmit Inhibit	PASSED Complete 2_pass_of_2
AL can override TxI	PASSED Complete 1_pass_of_1
AL cannot override TxI	PASSED Complete 1_pass_of_1
<b>SI - Remotely Fully Witnessed Testing</b>	
MS initiated Service Interaction	PASSED Complete 7_pass_of_7

MS initiated Circuit Mode Call during another Circuit Mode Call	PASSED Complete 5_pass_of_5
MS initiated Circuit Mode Call during Packet Mode Transfer	PASSED Complete 2_pass_of_2
MS initiated Packet Mode Transfer during Circuit Mode Call	Not Supported
SwMI initiated Service Interaction	PASSED Complete 10_pass_of_10
SwMI initiated Circuit Mode Call during another Circuit Mode Call	PASSED Complete 8_pass_of_8
SwMI initiated Circuit Mode Call during Packet Mode Transfer	PASSED Complete 2_pass_of_2
SwMI initiated Packet Mode Transfer during Circuit Mode Call	Not Supported
Call Waiting	
Call Waiting in Individual Call	Not Supported
Call Waiting in Group Call	Not Supported
<b>ED - Remotely Fully Witnessed Testing</b>	
Enable and temporary disable of an MS	PASSED Complete 15_pass_of_15
Enable and temporary disable of an MS without authentication	PASSED Complete 2_pass_of_2
Enable and temporary disable of an MS with authentication	PASSED Complete 2_pass_of_2
Registration of a temporary disabled MS	PASSED Complete 2_pass_of_2
Rejection of applicable invalid enable/disable requests	PASSED Complete 4_pass_of_4
Removable SIMs do not affect the subscriber or equipment that has been enabled/disabled	Not Supported
Disabling of an MS during a call or while on the PDCH	PASSED Complete 5_pass_of_5



Permanent disable of an MS	
Permanent disable of an MS with authentication	Not Supported
Permanently Disabled MS cannot send air interface signalling	Not Supported
<b>LIP - Remotely Fully Witnessed Testing</b>	
Location Information Protocol	PASSED Complete 12_pass_of_12
LIP over SDS	PASSED Complete 6_pass_of_6
LIP over Packet Data	Not Supported
Time based reporting	PASSED Complete 2_pass_of_2
Distance based reporting - NOT TESTABLE	Not Supported
Reporting using Short reports	PASSED Complete 2_pass_of_2
Reporting using Long reports	PASSED Complete 2_pass_of_2
Reporting Enable & Disable	PASSED Complete 1_pass_of_1
User control of Reporting	PASSED Complete 1_pass_of_1
Temporary reporting control	Not Supported
Trigger modification	Not Supported
Control of Basic Location Parameters	Not Supported
Immediate Location Reporting	PASSED Complete 1_pass_of_1
Reporting Lifetimes	Not Supported
Error Reporting using Long Reports	PASSED Complete 1_pass_of_1

Error Reporting using Short Reports	PASSED Complete 1_pass_of_1
Positioning on Individual Call Setup	Not Supported
<b>CF - Remotely Fully Witnessed Testing</b>	
Call Forwarding Unconditional	PASSED Complete 1_pass_of_1
Call Forwarding Unconditional Individual Call	PASSED Complete 1_pass_of_1
Call Forwarding Unconditional SDS	Not Supported
Call Forwarding Unconditional Status	Not Supported
Call Forwarding Conditional	PASSED Complete 3_pass_of_3
Call Forwarding Conditional Individual Call	PASSED Complete 3_pass_of_3
Call Forwarding Information Displayed	
Call Forwarding Information Displayed	Not Supported
Management of Call Forwarding	
Change of Call Forwarding Activation Status by Served User	Not Supported
Setting of Call Forwarding Parameters by Served User	Not Supported