

TETRA Interoperability Certificate

**Motorola Solutions, Dimetra IP R8.2, SwMI –
Teltronic, MDT-400, Terminal**

Krakow, April 2014

Latest Certified SwMI SW Release:	8.2	Latest Certified Terminal SW Release:	v25
Latest Certified SwMI HW Release:	Dimetra IP R8.2	Latest Certified Terminal HW Release:	CCP 00.09

ISCTI (Istituto Superiore delle Comunicazioni e delle Tecnologie dell'Informazione) certifies, that the Motorola Solutions, Dimetra IP R8.2, SwMI and the Teltronic, MDT-400, terminal have been subject to interoperability testing for the “certified” features listed on second page of this certificate, in accordance with the TETRA Interoperability Profiles, TIP compliance Test Plan and related TETRA interoperability requirement tables.

The table lists all the available TETRA interoperability profiles, and summarizes the main functionalities of every profile according to the TETRA interoperability requirement tables.

A feature is “Certified” when it has been successfully tested during the last test session with one of the testing method described in the TETRA process document part 1 (TPD001-01).

A breakdown into the feature details is given in the Feature Compliance Overview section of this certificate.

This certificate has been issued following a fully witnessed multi test session between Motorola Solutions and Teltronic on April 2014. Detailed test results are listed in the Test Report associated to this Certificate. Details and explanation about the procedure used to provide verdicts are in the TIC process TPD001-01.

IOP test engineer


 Massimo Proietti

Radio Office Manager

Giuseppe Pierrri


ISCTI - V.le America 201, 00144 Rome, Italy
 Ph.: +39 06 5444 2663, Fax: +39 06 5410904
 e-mail: tetra_ctc.iscom@mise.gov.it
 Web: www.mise.gov.it

Date of issue
8 October 2014

v 1

Certified features

Tetra Association TTR001-01:Core	
Registration	Certified
Group Management	Certified
Group call	Certified
Individual call	Certified
Status messages	Certified
Pre-emptive Priority Call	Certified
Emergency Call	Certified
Cell Re-selection	Certified
PSTN interconnect	Certified
MS-ISDN Numbering	-
In Call Signalling	Certified
Subscriber Class Procedures	Certified
Common Secondary Control Channels	Certified
BS Fallback Operation	Certified
Energy Economy Mode	-
Transmit Inhibit	Certified
Mixed band operation	-
Tetra Association TTR001-02:SDS	
SDS Type 1, 2 or 3	-
SDS-TL	Certified
Store and Forward	-
Tetra Association TTR001-03:DGNA	
Support for individually addressed DGNA	Certified
Support for group addressed DGNA	Certified
Tolerance of unsupported DGNA functions	-
Tetra Association TTR001-04:Auth	
SwMI Initiated (non-mutual) Authentication	Certified

SwMI Initiated Authentication made Mutual by MS	Certified
TEI Query	-
Tetra Association TTR001-05:PD	
Context Management	Certified
Single Slot Packet Data	Certified
Multi Slot Packet Data	Certified
TEDS	-
Mixed band operation	-
Tetra Association TTR001-09:AL	
Ambience Listening	Certified
Interaction with Transmit Inhibit	Certified
Tetra Association TTR001-10:E2EE	
E2EE Voice Call	Certified
Tetra Association TTR001-11:AIE	
Security Class 2 Air Interface Encryption	Certified
Security Class 3 Air Interface Encryption	Certified
Security Class 3G Air Interface Encryption	-
Change of CMG and GSKO	-
Key Status demand	-
Change of Security Class for Fallback operation	-
Change of Security Class (other than for Fallback operation)	-
Key Management for Secure Direct Mode Operation	-
Tetra Association TTR001-12:SI	
MS initiated Service Interaction	Certified
SwMI initiated Service Interaction	Certified
Call Waiting	-
Tetra Association TTR001-13:ED	
Enable and temporary disable of an MS	Certified
Permanent disable of an MS	Certified
Tetra Association TTR001-14:TKD	
Delivery of Authentication Data	Certified



Delivery of SCK	Certified
Delivery method	Certified
Tetra Association TTR001-19:LIP	
Location Information Protocol	Certified

Feature Compliance Overview

The first pages of this certificate provide an indication about the main interoperable TETRA features for each TIP specification (as described in the TIC-RT). The main interoperable TETRA features result depend on a set of sub-feature, the outcomes associated to each sub-feature are directly derived from the analysis of the performed test cases.

The results associated to each feature and sub-feature are shown in the "Feature compliance report" table below. The main features are indicated with grey background and the associated sub-features (or second level features) have light blue background.

The outcome assigned to a sub-feature as shown on page 2, is derived by the Feature compliance report tables.

Outcome	Definition
Certified	All required tests have been performed and passed
Partial	Not all the required tests have been performed but none have failed
-	Feature cannot be certified e.g. it is not supported by at least one product, no tests were performed, or some tests were performed but at least one failed

The outcome is derived from the verdict assigned to a sub feature which is the result of an analysis of the test case results listed in the Test Report. The verdict assigned to each sub-feature is derived from one or several test case results or test steps result, the TETRA Interoperability requirement tables (TIC-RTs) indicate the link between sub-features and test cases for the certified set of equipment capabilities (see Test Report).

Verdict	Definition
Passed	All mandated tests or steps of tests linked to this functionality (as per TIC-RT indication) are compliant with the TIP specification relevant to this feature.
Incomplete	Not all Mandated tests (as per TIC-RT indication) have been executed
Failed	At least one of mandated test or steps of tests linked to this functionality failed to match the TIP specification relevant to this feature.

The verdict associated to the feature gives also indication about the method used to test that feature. The allowed testing Methods are listed in the table below, a complete description of the procedures and constraints associated to each of them can be found in the "TPD001-01 TETRA Interoperability Certification Process Description" document.

Testing Method	Description
----------------	-------------

Complete	All mandated tests associated to the feature have been executed
Spot	Only a selection of the mandatory test cases associated to the feature has been executed during the test session. These tests are a subset of the tests performed on an equivalent software which has been "completely" tested against the same functionality on a different equipment, see manufacturer declaration in the associated Test Report
Regression	Only a selection of the mandatory test cases associated to the feature has been executed during the test session. These tests are a subset of the tests performed on a previous version of the same software which has been "completely" tested in a previous test session against the same functionality, see manufacturer definition in the associated Test Report
Regression on spot	The regression method has been applied on the verdicts based on the spot testing method
Witnessed	The TIP heading lines in the Feature Compliance Report indicate whether each TIP is partially or fully witnessed by the Certification Body. Additionally, for a partially-witnessed TIP, the number of witnessed test cases that passed is shown for each the feature and sub-feature. There may have been some un-witnessed passed tests and they will have been found to be successful based on the log file evaluation.

Depending on equipment capabilities declared by the manufacturer, some features or sub features cannot be tested. The following table describes meaning of the used abbreviation:

Indication	Definition
Not supported	The SwMI and/or MS do not support the minimum features required to verify these items

ISCTI has made every effort to ensure that every result has been correctly evaluated in accordance with the relevant TIPs, Test Plans and TIC-RTs. ISCTI has no liability for the test results, or towards the manufacturers.

The table on the following page lists HW and SW releases of SwMI and Terminal under test in the last four test sessions and the used TIP specifications, Test Plans and TIC-RTs.

This Certificate and Certificates from previous test sessions are available on the TETRA + Critical Communications Association web site (<http://www.tandcca.com/interop/page/12476>).

The feature results are shown in the tables below.

Information on equipment under test and document references

Test Session Date/Place	Motorola Solutions Krakow April 2014	Motorola Copenhagen January 2011		
SwMI Type	Dimetra IP R8.2	Dimetra IP		
SwMI HW Release	Dimetra IP R8.2	7.1		
SwMI SW Release	8,2	7.1		
Terminal Type	MDT-400	MDT-400		
Terminal HW Release	CCP 00.09	CCP00.09		
Terminal SW Release	v25	v20		
TIP Specs and TIP Compliance Test Plans				
Core	TTR001-01 v6.0.0 IOP001-01 v3.0.0 TIC-RT001-01 v260	TTR001-01 v5.1.1 IOP001-01 v2.6.4 TIC-RT001-01 v250		
SDS	TTR001-02 v2.1.1 IOP001-02 v2.0.0 TIC-RT001-02 v213	TTR001-02 v2.0.1 IOP001-02 v2.0.0 TIC-RT001-02 v211		
DGNA	TTR001-03 v2.0.0 IOP001-03 v2.0.1 TIC-RT001-03 v222	TTR001-03 v200 IOP001-03 v201 TIC-RT001-03 v212		
Auth	TTR001-04 v3.0.0 IOP001-04 v2.0.0 TIC-RT001-04 v223	TTR001-04 v300 IOP001-04 v200 TIC-RT001-04 v216		
PD	TTR001-05 v3.0.0 IOP001-05 v3.0.5 TIC-RT001-05 v305	TTR001-05 v3.0.0 IOP001-05 v3.0.2 TIC-RT001-05 v300		
AL	TTR001-09 v2.0.0 IOP001-09 v1.1.0 TIC-RT001-09 v122	TTR001-09 v2.0.0 IOP001-09 v1.1.0 TIC-RT001-09 v121		

E2EE	TTR001-10 v2.0.0 IOP001-10 v1.1.4 TIC-RT001-10 v122	TTR001-10 v2.0.0 IOP001-10 v1.1.0 TIC-RT001-10 v120		
AIE	TTR001-11 v3.0.3 IOP001-11 v3.0.2 TIC-RT001-11 v325	TTR001-11 v3.0.0 IOP001-11 v3.0.0 TIC-RT001-11 v3018		
SI	TTR001-12 v1.0.0 IOP001-12 v1.0.0 TIC-RT001-12 v127	TTR001-12 v1.0.0 IOP001-12 v1.0.0 TIC-RT001-12 v125		
ED	TTR001-13 v2.0.0 IOP001-13 v1.0.0 TIC-RT001-13 v146	TTR001-13 v2.0.0 IOP001-13 v1.0.0 TIC-RT001-13 v143		
TKD	TTR001-14 v1.0.3 IOP001-14 v1.0.0 TIC-RT001-14 v117	TTR001-14 v1.0.0 IOP001-14 v1.1.4 TIC-RT001-14 v115		
LIP	TTR001-19 v1.0.0 IOP001-19 v1.0.0 TIC-RT001-19 v105	-		

Feature compliance report

Test Session	Motorola Solutions Krakow April 2014	Motorola Copenhagen January 2011		
Core				
Registration	PASSED Regression 1_pass_of_4	PASSED Complete 3_pass_of_3		
ITSI attach	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
SwMI initiated location updating	PASSED Regression 1_pass_of_2	PASSED Complete 1_pass_of_1		
LA timer based Periodic location updating	Not Supported	Not Supported		
De-registration	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
Group Management	PASSED Regression 2_pass_of_6	PASSED Complete 5_pass_of_5		
Single group attachment	Regression 0_pass_of_2	PASSED Complete 2_pass_of_2		
Multiple group attachment	PASSED Regression 2_pass_of_3	PASSED Complete 2_pass_of_2		
MS initiated group detachment	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
SwMI initiated group management	Not Supported	Not Supported		
Group call	PASSED Regression 2_pass_of_8	PASSED Complete 8_pass_of_8		
Normal group call	PASSED Regression 1_pass_of_3	PASSED Complete 3_pass_of_3		
Late entry	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
Priority Group scanning	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
Call setup modifications	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
Resource Queuing based on Call Priority	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
Broadcast Call	Not Supported	Not Supported		
Limited coverage notification	Not Supported	Not Supported		
Individual call	PASSED Regression 3_pass_of_7	PASSED Complete 7_pass_of_7		

Simplex individual call	PASSED Regression 1_pass_of_3	PASSED Complete 3_pass_of_3		
Duplex individual call	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
Call setup modifications	Not Supported	Not Supported		
Resource Queuing based on Call Priority	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
Indication of imminent call disconnection	Not Supported	Not Supported		
Status messages	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Individual addressed Status transfer	Not Supported	Not Supported		
Group addressed Status transfer	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Pre-emptive Priority Call	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
Pre-emption of Resources	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
Pre-emption of Busy Users	Not Supported	Not Supported		
Emergency Call	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
Pre-emption of Resources	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Pre-emption of Busy Users	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
Call setup modifications	Not Supported	Not Supported		
Call disconnection by non-call owner	Not Supported	Not Supported		
Cell Re-selection	PASSED Regression 4_pass_of_15	PASSED Complete 15_pass_of_15		
Undeclared	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
Unannounced	Regression 0_pass_of_3	PASSED Complete 3_pass_of_3		
Announced - with Call Restoration	PASSED Regression 4_pass_of_11	PASSED Complete 11_pass_of_11		
Announced - without Call Restoration	Not Supported	Not Supported		
Expedited	Not Supported	Not Supported		
PSTN interconnect	PASSED Regression 1_pass_of_4	PASSED Complete 4_pass_of_4		
TETRA Originated Call	Regression 0_pass_of_2	PASSED Complete 2_pass_of_2		
PSTN Originated Call	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
DTMF over-dial	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		

Emergency Telephone Calls	Not Supported	Not Supported		
MS-ISDN Numbering				
MS ISDN - Voice Call	Not Supported	Not Supported		
MS-ISDN Status	Not Supported	Not Supported		
In Call Signalling	PASSED Regression 2_pass_of_5	PASSED Complete 5_pass_of_5		
Slow Signalling on Traffic Channel (SACCH)	PASSED Regression 1_pass_of_4	PASSED Complete 4_pass_of_4		
Fast Signalling on Traffic Channel (FACCH)	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Subscriber Class Procedures	PASSED Regression 4_pass_of_6	PASSED Complete 3_pass_of_3		
Cell Selection based on Subscriber Class	PASSED Regression 1_pass_of_3	PASSED Complete 3_pass_of_3		
Subscriber Class Delivery during Location Update	Not Supported	Not Supported		
Use of Preferred Subscriber Classes	PASSED Complete 3_pass_of_3	Not Supported		
Common Secondary Control Channels	PASSED Regression 2_pass_of_7	PASSED Complete 7_pass_of_7		
One C-SCCH per cell	PASSED Regression 1_pass_of_4	PASSED Complete 4_pass_of_4		
Two C-SCCH per cell	PASSED Regression 2_pass_of_3	PASSED Complete 3_pass_of_3		
Three C-SCCH per cell	Regression 0_pass_of_2	PASSED Complete 2_pass_of_2		
BS Fallback Operation	PASSED Regression 3_pass_of_8	PASSED No_Equipment 7_pass_of_10		
Switch to/from BS Fallback Operation	Regression 0_pass_of_2	PASSED Complete 2_pass_of_2		
Roaming with BS Fallback Operation	PASSED Regression 1_pass_of_2	PASSED No_Equipment 2_pass_of_5		
Services with BS Fallback Operation	PASSED Regression 2_pass_of_4	PASSED Complete 3_pass_of_3		
Energy Economy Mode				
Energy Economy Mode Operation	Not Supported	Not Supported		
Transmit Inhibit	PASSED Regression 4_pass_of_9	PASSED Complete 6_pass_of_6		
TXI Activation & De-Activation	PASSED Regression 2_pass_of_4	PASSED Complete 1_pass_of_1		
TXI Activation & De-Activation with TxI Status available to the Dispatcher	PASSED Regression 2_pass_of_4	PASSED Complete 4_pass_of_4		
Receipt of group addressed service during TXI	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		

Mixed band operation				
Mixed band operation, inter-cell	Not Supported	Not Supported		
Mixed band operation, intra-cell	Not Supported	Not Supported		
Mixed band operation, Full	Not Supported	Not Supported		
Short Data Service (SDS)				
SDS Type 1, 2 or 3				
SDS Type 1	Not Supported	Not Supported		
SDS Type 2	Not Supported	Not Supported		
SDS Type 3	Not Supported	Not Supported		
SDS-TL	PASSED Regression 3_pass_of_5	PASSED Complete 5_pass_of_5		
Individually Addressed	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Group Addressed	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
Using MS-ISDN dialling	Not Supported	Not Supported		
Using UCS2 coding scheme	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
Using 7-bit coding scheme	Not Supported	Not Supported		
Using 8-bit Latin 1 coding scheme	Regression 0_pass_of_1	-		
Using 8-bit Latin 5 coding scheme	PASSED Complete 1_pass_of_1	-		
Using 8-bit Latin 9 coding scheme	Not Supported	-		
Store and Forward				
Individually Addressed	Not Supported	Not Supported		
Group Addressed	Not Supported	Not Supported		
Dynamic Group Number Assignment (DGNA)				
Support for individually addressed DGNA	PASSED Regression 6_pass_of_7	PASSED Complete 2_pass_of_2		
Support for individually addressed DGNA assignment without attachment	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		

Support for individually addressed DGNA assignment with attachment as selected group	PASSED Complete 2_pass_of_2	Not Supported		
Support for individually addressed DGNA assignment with attachment as scanned group	PASSED Complete 2_pass_of_2	Not Supported		
Support for individually addressed DGNA assignment with rejected attachment	PASSED Complete 1_pass_of_1	Not Supported		
Support for individually addressed assignment for pre-programmed group	Not Supported	Not Supported		
Support for group addressed DGNA	PASSED Regression 1_pass_of_3	PASSED Complete 3_pass_of_3		
Support for group addressed DGNA assignment	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Management of 'group assignment lifetime'	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
Support for group addressed DGNA deassignment	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
Tolerance of unsupported DGNA functions				
MS tolerance of unsupported individual addressed DGNA signalling	Not Supported	Not Supported		
MS tolerance of unsupported group addressed DGNA signalling	Not Supported	Not Supported		
Authentication				
SwMI Initiated (non-mutual) Authentication	PASSED Regression 1_pass_of_3	PASSED Complete 3_pass_of_3		
Attach with authentication	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
Roaming with authentication	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		

SwMI rejects MS during authentication	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
MS rejects SwMI during authentication	Not Supported	Not Supported		
SwMI Initiated Authentication made Mutual by MS	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
Attach with authentication	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Roaming with authentication	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
TEI Query				
TEI Query Operation	Not Supported	Not Supported		
Packet Data				
Context Management	PASSED Regression 3_pass_of_9	PASSED Complete 9_pass_of_9		
Context Activation	PASSED Regression 2_pass_of_7	PASSED Complete 7_pass_of_7		
User authentication	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
Single Slot Packet Data	PASSED Regression 3_pass_of_10	PASSED Complete 10_pass_of_10		
Data Transfer	PASSED Regression 2_pass_of_7	PASSED Complete 7_pass_of_7		
Cell re-selection	PASSED Regression 1_pass_of_3	PASSED Complete 3_pass_of_3		
Multi Slot Packet Data	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
Data Transfer	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
TEDS				
TEDS with Context Activation	Not Supported	Not Supported		
TEDS Data Transmission, using LLC Optimisation	Not Supported	-		
TEDS Data Transmission, not using LLC Optimisation	Not Supported	Not Supported		
TEDS Cell Reselection, using LLC Optimisation	Not Supported	-		

TEDS Cell Reselection, not using LLC Optimisation	Not Supported	Not Supported		
Mixed band operation				
Mixed band operation, inter-cell	Not Supported	Not Supported		
Mixed band operation, intra-cell	Not Supported	Not Supported		
Mixed band operation, Full	Not Supported	Not Supported		
TETRA Ambience Listening (SS-AL)				
Ambience Listening	PASSED Regression 1_pass_of_5	PASSED Complete 5_pass_of_5		
SS-AL Call Setup	Regression 0_pass_of_2	PASSED Complete 2_pass_of_2		
MS initiated SS-AL disconnection	PASSED Regression 1_pass_of_3	PASSED Complete 3_pass_of_3		
No Indication to affected user	PASSED Regression 1_pass_of_5	PASSED Complete 5_pass_of_5		
Interaction with Transmit Inhibit	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
AL can override TxI	Not Supported	Not Supported		
AL cannot override TxI	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
End to End Encryption				
E2EE Voice Call	PASSED Regression 2_pass_of_6	PASSED Complete 6_pass_of_6		
Individual (P2P) call	PASSED Regression 1_pass_of_4	PASSED Complete 4_pass_of_4		
Group (P2MP) call	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
Clear Voice Override (CVO): Acceptance	Not Supported	Not Supported		
Clear Voice Override (CVO): User Initiated	Not Supported	-		
Clear Voice Override (CVO): Automatic	Not Supported	-		

Air Interface Encryption				
Security Class 2 Air Interface Encryption	PASSED Regression 7_pass_of_15	PASSED Complete 11_pass_of_11		
Location Updating and AI Signalling Protection	PASSED Regression 1_pass_of_4	PASSED Complete 4_pass_of_4		
TM-SCK provisioning during location updating	Not Supported	Not Supported		
Communications between parties using encryption	Regression 0_pass_of_2	PASSED Complete 2_pass_of_2		
Communications between clear and encrypted parties	PASSED Regression 1_pass_of_3	PASSED Complete 3_pass_of_3		
Communications between encrypted parties on a channel designated to operate in clear	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
OTAR of TM-SCK	Not Supported	Not Supported		
Change of TM-SCK	PASSED Complete 2_pass_of_2	-		
Packet Data with Class 2 Air Interface Encryption	PASSED Complete 2_pass_of_2	-		
Security Class 3 Air Interface Encryption	PASSED Regression 8_pass_of_22	PASSED Complete 21_pass_of_21		
Clear Location Updating and AI Signalling Protection	PASSED Regression 1_pass_of_3	PASSED Complete 10_pass_of_10		
Encrypted Location Updating and AI Signalling Protection	PASSED Regression 2_pass_of_6	-		
DCK Forwarding at MS request	Not Supported	Not Supported		
DCK Forwarding by SwMI (without MS request)	Not Supported	Not Supported		
DCK Retrieval	PASSED Regression 2_pass_of_6	PASSED Complete 6_pass_of_6		
CCK provisioning during location updating	PASSED Regression 2_pass_of_6	PASSED Complete 7_pass_of_7		
Communications between parties using encryption	Regression 0_pass_of_2	PASSED Complete 2_pass_of_2		

Communications between clear and encrypted parties	PASSED Regression 1_pass_of_3	PASSED Complete 3_pass_of_3		
Communications between encrypted parties on a channel designated to operate in clear	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
OTAR of CCK	Regression 0_pass_of_2	-		
Change of CCK	PASSED Regression 1_pass_of_4	PASSED Complete 4_pass_of_4		
Packet Data with Class 3 Air Interface Encryption	PASSED Complete 2_pass_of_2	-		
Security Class 3G Air Interface Encryption				
GCK Key Association setting	Not Supported	Not Supported		
Communications between parties using encryption	Not Supported	Not Supported		
Communications between clear and encrypted parties	Not Supported	Not Supported		
OTAR of GCK	Not Supported	Not Supported		
Change of GCK	Not Supported	Not Supported		
Management of CMG and GSKO				
OTAR and change of CMG and GSKO	Not Supported	Not Supported		
Key Status demand				
SCK Key Status demand	Not Supported	Not Supported		
GCK Key Status demand	Not Supported	Not Supported		
GSKO Key Status demand	Not Supported	Not Supported		
Change of Security Class for Fallback operation				
Seamless change to Security Class 2 for BS Fallback operation	Not Supported	Not Supported		

Non-seamless change to Security Class 2 for BS Fallback operation	Not Supported	Not Supported		
Provisioning of TM-SCK for fallback to Security Class 2 operation	Not Supported	Not Supported		
Change to Security Class 1 for BS Fallback operation	Not Supported	Not Supported		
Change of Security Class (other than for Fallback operation)				
Change between Security Class 3 and Security Class 3G	Not Supported	Not Supported		
Change between Security Class 2 and Security Class 3	Not Supported	Not Supported		
Change from Security Class 3G to Security Class 2	Not Supported	Not Supported		
Key Management for Secure Direct Mode Operation				
OTAR of DM-SCK	Not Supported	Not Supported		
Change of DM-SCK	Not Supported	Not Supported		
Service Interaction				
MS initiated Service Interaction	PASSED Regression 1_pass_of_3	PASSED Complete 3_pass_of_3		
MS initiated Circuit Mode Call during another Circuit Mode Call	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
MS initiated Circuit Mode Call during Packet Mode Transfer	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
MS initiated Packet Mode Transfer during Circuit Mode Call	Not Supported	Not Supported		
SwMI initiated Service Interaction	PASSED Regression 2_pass_of_6	PASSED Complete 6_pass_of_6		
SwMI initiated Circuit Mode Call during another Circuit Mode Call	PASSED Regression 2_pass_of_4	PASSED Complete 4_pass_of_4		

SwMI initiated Circuit Mode Call during Packet Mode Transfer	Regression 0_pass_of_2	PASSED Complete 2_pass_of_2		
SwMI initiated Packet Mode Transfer during Circuit Mode Call	Not Supported	Not Supported		
Call Waiting				
Call Waiting in Individual Call	Not Supported	Not Supported		
Call Waiting in Group Call	Not Supported	Not Supported		
Enable Disable				
Enable and temporary disable of an MS	PASSED Regression 3_pass_of_5	PASSED Complete 5_pass_of_5		
Enable and temporary disable of an MS without authentication	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
Enable and temporary disable of an MS with authentication	Not Supported	Not Supported		
Registration of a temporary disabled MS	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
Rejection of applicable invalid enable/disable requests	Not Supported	Not Supported		
Removable SIMs do not affect the subscriber or equipment that has been enabled/disabled	Not Supported	Not Supported		
Disabling of an MS during a call or while on the PDCH	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Permanent disable of an MS	Regression 0_pass_of_2	PASSED Complete 2_pass_of_2		
Permanent disable of an MS with authentication	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
Permanently Disabled MS cannot send air interface signalling	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		

Key Delivery				
Delivery of Authentication Data	PASSED Regression 1_pass_of_2	PASSED Complete 1_pass_of_1		
Authentication Key Delivery	Regression 0_pass_of_1	PASSED Complete 1_pass_of_1		
ITSI Delivery	PASSED Complete 1_pass_of_1	Not Supported		
Delivery of SCK	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
SCK Delivery to SCK delivery	Not Supported	Not Supported		
SCK Delivery to SwMI	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
SCK Delivery to SCK loading	Not Supported	Not Supported		
Delivery method	PASSED Regression 2_pass_of_3	PASSED Complete 2_pass_of_2		
Plain text on physical media	PASSED Regression 2_pass_of_3	PASSED Complete 2_pass_of_2		
Encrypted text on physical media	Not Supported	Not Supported		
Electronic transfer	Not Supported	Not Supported		
LIP				
Location Information Protocol	PASSED Complete 5_pass_of_5			
LIP over SDS	PASSED Complete 3_pass_of_3			
LIP over Packet Data	Not Supported			
Time based reporting	PASSED Complete 2_pass_of_2			
Distance based reporting - NOT TESTABLE	Not Supported			
Reporting using Long reports	Not Supported			
Reporting Enable & Disable	Not Supported			
Temporary reporting control	Not Supported			
Trigger modification	Not Supported			



Immediate Location Reporting	PASSED Complete 1_pass_of_1			
Reporting Lifetimes	Not Supported			
Error Reporting	PASSED Complete 1_pass_of_1			