



## TETRA Interoperability Certificate

**Motorola, Dimetra IP, SwMI –  
Teltronic, HTT-500, Terminal**

Copenhagen, January 2011

Latest Certified SwMI SW Release:	7.1	Latest Certified Terminal SW Release:	v07
Latest Certified SwMI HW Release:	7.1	Latest Certified Terminal HW Release:	CCP00.03

ISCTI (Istituto Superiore delle Comunicazioni e delle Tecnologie dell'Informazione) certifies, that the Motorola, Dimetra **IP**, SwMI and the Teltronic, HTT-500, terminal have been subject to interoperability testing for the “certified” features listed on second page of this certificate, in accordance with the TETRA Interoperability Profiles, TIP compliance Test Plan and related TETRA interoperability requirement tables.


The table lists all the available TETRA interoperability profiles, and summarizes the main functionalities of every profile according to the TETRA interoperability requirement tables.

A feature is “**Certified**” when it has been successfully tested during the last test session with one of the testing method described in the TETRA process document part 1 (TPD001).

A breakdown into the feature details is given in the Feature Compliance Overview section of this certificate.

Detailed test results and explanation about the procedure used to provide verdicts are listed in the Test Report associated to this Certificate.

IOP test engineer

  
Massimo Proietti

Radio Office Manager

Giuseppe Pierri



ISCTI - V.le America 201, 00144 Rome, Italy  
Ph.: +39 06 5444 2663, Fax: +39 06 5410904  
e-mail: [tetra\\_ctc.iscom@sviluppoeconomico.gov.it](mailto:tetra_ctc.iscom@sviluppoeconomico.gov.it),  
Web: [www.sviluppoeconomico.gov.it](http://www.sviluppoeconomico.gov.it)

**Date of issue:**

**28 June 2011**

**v 02**

Test Session: Motorola, Copenhagen, January 2011

Motorola, Dimetra IP, SwMI - Teltronic, HTT-500, Terminal

1/18

**v 02**

ISCTI -

[tetra\\_ctc.iscom@sviluppoeconomico.gov.it](mailto:tetra_ctc.iscom@sviluppoeconomico.gov.it)



## Certified features

Tetra Association TTR001-01:Core	
Registration	Certified
Group Management	Certified
Group call	Certified
Individual call	Certified
Status messages	Certified
Pre-emptive Priority Call	Certified
Emergency Call	Certified
Cell Re-selection	Certified
PSTN interconnect	Certified
MS-ISDN Numbering	-
In Call Signalling	Certified
Subscriber Class Procedures	Certified
Common Secondary Control Channels	Certified
BS Fallback Operation	Certified
Energy Economy Mode	-
Transmit Inhibit	Certified
Mixed band operation	Certified
Tetra Association TTR001-02:SDS	
SDS Type 1, 2 or 3	-
SDS-TL	Certified
Store and Forward	-
Tetra Association TTR001-03:DGNA	
Support for individually addressed DGNA	Certified
Support for group addressed DGNA	Certified
Tolerance of unsupported DGNA functions	-
Tetra Association TTR001-04:Auth	
SwMI Initiated (non-mutual) Authentication	Certified
SwMI Initiated Authentication made Mutual by MS	Certified
TEI Query	-
Tetra Association TTR001-05:PD	
Context Management	Certified
Single Slot Packet Data	Certified
Multi Slot Packet Data	Certified
TEDS	-
Mixed band operation	Certified
Tetra Association TTR001-09:AL	
Ambience Listening	Certified
Interaction with Transmit Inhibit	Certified
Tetra Association TTR001-10:E2EE	
E2EE Voice Call	Certified
Tetra Association TTR001-11:AIE	
Security Class 2 Air Interface Encryption	Certified
Security Class 3 Air Interface Encryption	Certified
Security Class 3G Air Interface Encryption	-
Change of CMG and GSKO	-
Key Status demand	-
Change of Security Class for Fallback operation	-
Change of Security Class (other than for Fallback operation)	-



# TETRA ASSOCIATION

ISCTI

<b>Key Management for Secure Direct Mode Operation</b>	-
<b>Tetra Association TTR001-12:SI</b>	
<b>MS initiated Service Interaction</b>	Certified
<b>SwMI initiated Service Interaction</b>	Certified
<b>Call Waiting</b>	-
<b>Tetra Association TTR001-13:ED</b>	
<b>Enable and temporary disable of an MS</b>	-
<b>Permanent disable of an MS</b>	Certified
<b>Tetra Association TTR001-14:TKD</b>	
<b>Delivery of Authentication Data</b>	Certified
<b>Delivery of SCK</b>	Certified
<b>Delivery method</b>	Certified



## Feature Compliance Overview

The first pages of this certificate provide an indication about the main interoperable TETRA features for each TIP specification (as described in the TIC-RT). The main interoperable TETRA features result depend on a set of sub-feature, the verdicts associated to each sub-feature are directly derived from the analysis of the performed test cases.

The results associated to each feature and sub-feature are shown in the "Feature compliance report" table below. The main features are indicated with grey background and the associated sub-features (or second level features) have white background.

The verdict assigned to a sub-feature as shown on page 2, is derived by the Feature compliance report tables.

Verdict	Definition
<b>Certified</b>	All required tests have been performed and passed
<b>Partial</b>	Not all the required tests have been performed but none have failed
<b>-</b>	Feature cannot be certified e.g. it is not supported by at least one product, no tests were performed, or some tests were performed but at least one failed

The verdict assigned to a sub feature is the result of an analysis of the test case results listed in the Test Report. The verdict assigned to each sub-feature is derived from one or several test case results or test steps result, the TETRA Interoperability requirement tables (TIC-RTs) indicate the link between sub-features and test cases for the certified set of equipment capabilities (see Test Report)

Verdict	Definition
<b>Passed (note x)</b>	All mandated tests or steps of tests linked to this functionality (as per TIC-RT indication) are compliant with the TIP specification relevant to this feature. A note can be associated to this result, if further clarification on the behaviour of the equipment is needed
<b>Time_limited</b>	Not all Mandated tests (as per TIC-RT indication) have been executed (ran out of time)

The verdict associated to the feature gives also indication about the method used to test that feature. The allowed



testing Methods are listed in the table below, a complete description of the procedures and constraints associated to each of them can be found in the "TPD001 TETRA Interoperability Certification Process Description" document.

Testing Method	Description
<b>Complete</b>	All mandated tests associated to the feature have been executed
<b>Spot</b>	Only a selection of the mandatory test cases associated to the feature has been executed during the test session. These tests are a subset of the tests performed on an equivalent software which has been "completely" tested against the same functionality on a different equipment, see manufacturer declaration in annex A
<b>Regression</b>	Only a selection of the mandatory test cases associated to the feature has been executed during the test session. These tests are a subset of the tests performed on a previous version of the same software which has been "completely" tested in a previous test session against the same functionality, see manufacturer definition in annex A
<b>Regression on spot</b>	The regression method has been applied on the verdicts based on the spot testing method

Depending on equipment capabilities declared by the manufacturer, some features or sub features cannot be tested. The following table describes meaning of the used abbreviation

Indication	Definition
<b>Not Supported</b>	The SwMI and/or MS do not support the minimum features required to verify these items.

ISCTI has made every effort to ensure that every result has been correctly evaluated in accordance with the relevant TIPs, Test Plans and TIC-RTs. ISCTI has no liability for the test results, or towards the manufacturers,

The table on the following page lists HW and SW releases of SwMI and Terminal under test in the last four test sessions and the used TIP specifications, Test Plans and TIC-RTs

This Certificate and Certificates from previous test sessions are available on the TETRA Association web site (<http://www.tetra-association.com/tetramou.aspx?&id=2636>).

The feature results are shown in the tables below



## Information on equipment under test and document references

Test Session Date/Place	Motorola Copenhagen January 2011	Motorola, Copenhagen, January 2009		
SwMI Type	Dimetra IP	Dimetra IP 6.2SSR		
SwMI HW Release	7.1	Dimetra IP		
SwMI SW Release	7.1	6.2SSR		
Terminal Type	HTT-500	HTT-500		
Terminal HW Release	CCP00.03	CCP00.03		
Terminal SW Release	v07	V5		
TIP Specs and TIP Compliance Test Plans				
Core	TTR001-01 v5.1.1 IOP001-01 v2.6.4 TIC-RT001-01 v250	TTR001-01 v500 IOP001-01 v260 TIC-RT001-01 v235		
SDS	TTR001-02 v2.0.1 IOP001-02 v2.0.0 TIC-RT001-02 v211	TTR001-02 v201 IOP001-02 v200 TIC-RT001-02 v206		
DGNA	TTR001-03 v2.0.0 IOP001-03 v2.0.1 TIC-RT001-03 v218	TTR001-03 v200 IOP001-03 v201 TIC-RT001-03 v212		
Auth	TTR001-04 v3.0.0 IOP001-04 v2.0.0 TIC-RT001-04 v222	TTR001-04 v300 IOP001-04 v200 TIC-RT001-04 v216		



# TETRA ASSOCIATION

ISCTI

<b>PD</b>	TTR001-05 v3.0.0 IOP001-05 v3.0.2 TIC-RT001-05 v300	TTR001-05 v200 IOP001-05 v200 TIC-RT001-05 v224		
<b>AL</b>	TTR001-09 v2.0.0 IOP001-09 v1.1.0 TIC-RT001-09 v121	TTR001-09 v200 IOP001-09 v110 TIC-RT001-09 v113		
<b>E2EE</b>	TTR001-10 v2.0.0 IOP001-10 v1.1.0 TIC-RT001-10 v120	TTR001-10 v200 IOP001-10 v110 TIC-RT001-10 v112		
<b>AIE</b>	TTR001-11 v3.0.0 IOP001-11 v3.0.0 TIC-RT001-11 v3018	TTR001-11 v300 IOP001-11 v300 TIC-RT001-11 v3014		
<b>SI</b>	TTR001-12 v1.0.0 IOP001-12 v1.0.0 TIC-RT001-12 v125	TTR001-12 v100 IOP001-12 v100 TIC-RT001-12 v118		
<b>ED</b>	TTR001-13 v2.0.0 IOP001-13 v1.0.0 TIC-RT001-13 v143	TTR001-13 v200 IOP001-13 v100 TIC-RT001-13 v136		
<b>TKD</b>	TTR001-14 v1.0.0 IOP001-14 v1.1.4 TIC-RT001-14 v115	TTR001-14 v100 IOP001-14 v200 TIC-RT001-14 v110		



**Feature compliance report**

<b>Test Session</b>	<b>Motorola Copenhagen January 2011</b>	<b>Motorola Copenhagen January 2009</b>		
<b>Core</b>				
Registration	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3		
ITSI attach	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
SwMI initiated location updating	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
LA timer based Periodic location updating	Not Supported	Not supported		
De-registration	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
<b>Group Management</b>	<b>PASSED Complete 7_pass_of_7</b>	<b>PASSED Complete 7_pass_of_7</b>		
Single group attachment	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Multiple group attachment	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3		
MS initiated group detachment	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
SwMI initiated group management	Not Supported	Not supported		
<b>Group call</b>	<b>PASSED Complete 8_pass_of_8</b>	<b>PASSED Complete 7_pass_of_7</b>		
Normal group call	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3		
Late entry	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Priority Group scanning	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Call setup modifications	PASSED Complete 1_pass_of_1	Not supported		
Resource Queuing based on Call Priority	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Broadcast Call	Not Supported	Not Tested		
Limited coverage notification	Not Supported	Not Tested		





Individual call	PASSED Complete 7_pass_of_7	PASSED Complete 7_pass_of_7		
Simplex individual call	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3		
Duplex individual call	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Call setup modifications	Not Supported	Not supported		
Resource Queuing based on Call Priority	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Indication of imminent call disconnection	Not Supported	Not supported		
Status messages	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Individual addressed Status transfer	Not Supported	Not supported		
Group addressed Status transfer	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Pre-emptive Priority Call	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Pre-emption of Resources	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Pre-emption of Busy Users	Not Supported	Not supported		
Emergency Call	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Pre-emption of Resources	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Pre-emption of Busy Users	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Call setup modifications	Not Supported	Not supported		
Call disconnection by non-call owner	Not Supported	-		
Cell Re-selection	PASSED Complete 12_pass_of_12	PASSED Complete 15_pass_of_15		
Undeclared	Complete	PASSED Complete 1_pass_of_1		
Unannounced	PASSED Complete 2_pass_of_2	PASSED Complete 3_pass_of_3		
Announced - with Call Restoration	PASSED Complete 10_pass_of_10	PASSED Complete 11_pass_of_11		
Announced - without Call Restoration	Not Supported	Not supported		
Expedited	Not Supported	-		
PSTN interconnect	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4		
TETRA Originated Call	PASSED Complete 2_pass_of_2	PASSED Complete		



		2_pass_of_2		
PSTN Originated Call	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
DTMF over-dial	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Emergency Telephone Calls	Not Supported	Not supported		
MS-ISDN Numbering				
MS ISDN - Voice Call	Not Supported	Not supported		
MS-ISDN Status	Not Supported	Not supported		
In Call Signalling	PASSED Complete 5_pass_of_5	PASSED Complete 5_pass_of_5		
Slow Signalling on Traffic Channel (SACCH)	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4		
Fast Signalling on Traffic Channel (FACCH)	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Subscriber Class Procedures	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3		
Cell Selection based on Subscriber Class	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3		
Subscriber Class Delivery during Location Update	Not Supported	Not supported		
Use of Preferred Subscriber Classes	Not Supported	Not supported		
Common Secondary Control Channels	PASSED Complete 7_pass_of_7			
One C-SCCH per cell	PASSED Complete 4_pass_of_4	Not supported		
Two C-SCCH per cell	PASSED Complete 3_pass_of_3	Not supported		
Three C-SCCH per cell	PASSED Complete 2_pass_of_2	Not supported		
BS Fallback Operation	PASSED Complete 7_pass_of_7	PASSED Complete 8_pass_of_8		
Switch to/from BS Fallback Operation	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Roaming with BS Fallback Operation	PASSED Complete 2_pass_of_2	PASSED Complete 3_pass_of_3		
Services with BS Fallback Operation	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3		
Energy Economy Mode				
Energy Economy Mode Operation	Not Supported	Not supported		
Transmit Inhibit	PASSED Complete 6_pass_of_6	PASSED Complete 6_pass_of_6		



TXI Activation & De-Activation without Status message	PASSED Complete 1_pass_of_1	PASSED Complete 2_pass_of_2		
TXI Activation & De-Activation with Status message	PASSED Complete 4_pass_of_4	PASSED Complete 3_pass_of_3		
Receipt of group addressed service during TXI	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Mixed band operation	PASSED Complete 4_pass_of_4			
Mixed band operation, inter-cell	PASSED Complete 4_pass_of_4	-		
Mixed band operation, intra-cell	PASSED Complete 3_pass_of_3	-		
Mixed band operation, Full	PASSED Complete 4_pass_of_4	-		
<b>Short Data Service (SDS)</b>				
SDS Type 1, 2 or 3		Not supported		
SDS Type 1	Not Supported	Not supported		
SDS Type 2	Not Supported	Not supported		
SDS Type 3	Not Supported	PASSED Complete 3_pass_of_3		
SDS-TL	PASSED Complete 5_pass_of_5	PASSED Complete 1_pass_of_1		
Individually Addressed	PASSED Complete 1_pass_of_1	PASSED Complete 2_pass_of_2		
Group Addressed	PASSED Complete 2_pass_of_2	Not supported		
Using MS-ISDN dialling	Not Supported	Not supported		
Using UCS2 coding scheme	PASSED Complete 2_pass_of_2	Not supported		
Using 7-bit coding scheme	Not Supported	Not supported		
Store and Forward				
Individually Addressed	Not Supported	Not supported		
Group Addressed	Not Supported	Not supported		
<b>Dynamic Group Number Assignment (DGNA)</b>				
Support for individually addressed DGNA	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Support for individually addressed DGNA assignment without attachment	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Support for individually addressed DGNA assignment with attachment as selected group	Not Supported	Not supported		



Support for individually addressed DGNA assignment with attachment as scanned group	Not Supported	Not supported		
Support for individually addressed DGNA assignment with rejected attachment	Not Supported	Not supported		
Support for individually addressed assignment for pre-programmed group	Not Supported	Not supported		
Support for group addressed DGNA	PASSED Complete 3_pass_of_3			
Support for group addressed DGNA assignment	PASSED Complete 1_pass_of_1	Not supported		
Management of 'group assignment lifetime'	PASSED Complete 1_pass_of_1	Not supported		
Support for group addressed DGNA deassignment	PASSED Complete 1_pass_of_1	Not supported		
Tolerance of unsupported DGNA functions		PASSED Complete 1_pass_of_1		
MS tolerance of unsupported individual addressed DGNA signalling	Not Supported	Not supported		
MS tolerance of unsupported group addressed DGNA signalling	Not Supported	PASSED Complete 1_pass_of_1		
<b>Authentication</b>				
SwMI Initiated (non-mutual) Authentication	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3		
Attach with authentication	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Roaming with authentication	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
SwMI rejects MS during authentication	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
MS rejects SwMI during authentication	Not Supported	Not supported		
SwMI Initiated Authentication made Mutual by MS	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Attach with authentication	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Roaming with authentication	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
TEI Query				
TEI Query Operation	Not Supported	Not supported		
<b>TETRA Packet Data</b>				
Context Management	PASSED Complete 9_pass_of_9	PASSED Complete 9_pass_of_9		



Context Activation	PASSED Complete 7_pass_of_7	PASSED Complete 7_pass_of_7		
User authentication	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Single Slot Packet Data	PASSED Complete 10_pass_of_10	PASSED Complete 10_pass_of_10		
Data Transfer	PASSED Complete 7_pass_of_7	PASSED Complete 7_pass_of_7		
Cell re-selection	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3		
Multi Slot Packet Data	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Data Transfer	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
<b>TEDS</b>				
TEDS with Context Activation	Not Supported	-		
TEDS Data Transmission	Not Supported	-		
TEDS Cell Reselection	Not Supported	-		
Mixed band operation	PASSED Complete 2_pass_of_2			
Mixed band operation, inter-cell	PASSED Complete 2_pass_of_2	-		
Mixed band operation, intra-cell	PASSED Complete 2_pass_of_2	-		
Mixed band operation, Full	PASSED Complete 2_pass_of_2	-		
<b>TETRA Ambience Listening (SS-AL)</b>				
Ambience Listening	PASSED Complete 5_pass_of_5	PASSED Complete 5_pass_of_5		
SS-AL Call Setup	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
MS initiated SS-AL disconnection	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3		
No Indication to affected user	PASSED Complete 5_pass_of_5	PASSED Complete 5_pass_of_5		
Interaction with Transmit Inhibit	PASSED Complete 1_pass_of_1			
AL can override TxI	Not Supported	-		
AL cannot override TxI	PASSED Complete 1_pass_of_1	-		
<b>End to End Encryption</b>				
E2EE Voice Call	PASSED Complete 6_pass_of_6	PASSED Complete		



		6_pass_of_6		
Individual (P2P) call	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4		
Group (P2MP) call	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Clear Voice Override (CVO)	Not Supported	Not supported		
<b>Air Interface Encryption</b>				
Security Class 2 Air Interface Encryption	PASSED Complete 11_pass_of_11	PASSED Complete 11_pass_of_11		
Location Updating and AI Signalling Protection	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4		
TM-SCK provisioning during location updating	Not Supported	Not supported		
Communications between parties using encryption	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Communications between clear and encrypted parties	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3		
Communications between encrypted parties on a channel designated to operate in clear	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
OTAR and Change of TM-SCK	Not Supported	Not supported		
Security Class 3 Air Interface Encryption	PASSED Complete 21_pass_of_21	PASSED Complete 21_pass_of_21		
Location Updating and AI Signalling Protection	PASSED Complete 10_pass_of_10	PASSED Complete 10_pass_of_10		
DCK Forwarding at MS request	Not Supported	Not supported		
DCK Forwarding by SwMI (without MS request)	Not Supported	Not supported		
DCK Retrieval	PASSED Complete 6_pass_of_6	PASSED Complete 6_pass_of_6		
CCK provisioning during location updating	PASSED Complete 7_pass_of_7	PASSED Complete 7_pass_of_7		
Communications between parties using encryption	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Communications between clear and encrypted parties	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3		
Communications between encrypted parties on a channel designated to operate in clear	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
OTAR and Change of CCK	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4		



Security Class 3G Air Interface Encryption				
GCK Key Association setting	Not Supported	Not supported		
Communications between parties using encryption	Not Supported	Not supported		
Communications between clear and encrypted parties	Not Supported	Not supported		
OTAR and Change of GCK	Not Supported	Not supported		
Change of CMG and GSKO				
OTAR and change of CMG and GSKO	Not Supported	Not supported		
Key Status demand				
SCK Key Status demand	Not Supported	Not supported		
GCK Key Status demand	Not Supported	Not supported		
GSKO Key Status demand	Not Supported	Not supported		
Change of Security Class for Fallback operation		PASSED Complete 5_pass_of_5		
Seamless change to Security Class 2 for BS Fallback operation	Not Supported	PASSED Complete 5_pass_of_5		
Non-seamless change to Security Class 2 for BS Fallback operation	Not Supported	Not supported		
Provisioning of TM-SCK for fallback to Security Class 2 operation	Not Supported	Not supported		
Change to Security Class 1 for BS Fallback operation	Not Supported	Not supported		
Change of Security Class (other than for Fallback operation)		PASSED Complete 2_pass_of_2		
Change between Security Class 3 and Security Class 3G	Not Supported	Not supported		
Change between Security Class 2 and Security Class 3	Not Supported	PASSED Complete 2_pass_of_2		
Change from Security Class 3G to Security Class 2	Not Supported	Not supported		
Key Management for Secure Direct Mode Operation				
OTAR and change of DM-SCK	Not Supported	Not Supported		
<b>Service Interaction</b>				
MS initiated Service Interaction	PASSED Complete 3_pass_of_3	PASSED Complete 3_pass_of_3		
MS initiated Circuit Mode Call during another Circuit Mode Call	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
MS initiated Circuit Mode Call during Packet Mode Transfer	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		





MS initiated Packet Mode Transfer during Circuit Mode Call	Not Supported	Not supported		
SwMI initiated Service Interaction	PASSED Complete 6_pass_of_6	PASSED Complete 6_pass_of_6		
SwMI initiated Circuit Mode Call during another Circuit Mode Call	PASSED Complete 4_pass_of_4	PASSED Complete 4_pass_of_4		
SwMI initiated Circuit Mode Call during Packet Mode Transfer	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
SwMI initiated Packet Mode Transfer during Circuit Mode Call	Not Supported	Not supported		
<b>Call Waiting</b>				
Call Waiting in Individual Call	Not Supported	-		
Call Waiting in Group Call	Not Supported	-		
<b>Enable Disable</b>				
Enable and temporary disable of an MS	FAILED Complete 4_pass_of_5	FAILED Complete 4_pass_of_5		
Enable and temporary disable of an MS without authentication	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Enable and temporary disable of an MS with authentication	Not Supported	Not supported		
Registration of a temporary disabled MS	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Rejection of applicable invalid enable/disable requests	Not Supported	Not supported		
Removable SIMs do not affect the subscriber or equipment that has been enabled/disabled	Not Supported	Not supported		
Disabling of an MS during a call or while on the PDCH	FAILED Complete 0_pass_of_1	FAILED Complete 0_pass_of_1		
Permanent disable of an MS	PASSED Complete 2_pass_of_2	FAILED Complete 1_pass_of_2		
Permanent disable of an MS with authentication	PASSED Complete 1_pass_of_1	FAILED Complete 0_pass_of_1		
Permanently Disabled MS cannot send air interface signalling	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
<b>Key Delivery</b>				
Delivery of Authentication Data	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Authentication Key Delivery	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
ITSI Delivery	Not Supported	Not supported		





Delivery of SCK	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
SCK Delivery to SCK delivery	Not Supported	Not supported		
SCK Delivery to SwMI	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
SCK Delivery to SCK loading	Not Supported	Not supported		
Delivery method	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Plain text on physical media	PASSED Complete 2_pass_of_2	PASSED Complete 2_pass_of_2		
Encrypted text on physical media	Not Supported	Not supported		
Electronic transfer	Not Supported	Not supported		



**Annex A**

**List of Revisions of the Certificate**

<b>Date</b>	<b>Ver.</b>	<b>Modification</b>
24 June 2011	1	First published version
28 June 2011	2	updating: - editorial changes regarding the name of the terminal and the year of the previous session

**IOP Test Engineer**

Daniele Biondini

**Radio Office Manager**

Giuseppe Pierri