TETRA ASSOCIATION

ISCTI

TETRA Interoperability Certificate

Cassidian, Tetra System Rel 6.0, SwMI – Sepura, STP8000, Terminal

Helsinki, February 2011

Latest Certified SwMI SW Release:	6.0	**Latest Certified Terminal SW Release:**	1678 006 02937
Latest Certified SwMI HW Release:	M98F (DXTip)	**Latest Certified Terminal HW Release:**	PSNTW201T300R00

ISCTI (Istituto Superiore delle Comunicazioni e delle Tecnologie dell'Informazione) certifies, that the Cassidian, Tetra System Rel 6.0, SwMI and the Sepura, STP8000, terminal have been subject to interoperability testing for the "certified" features listed on second page of this certificate, in accordance with the TETRA Interoperability Profiles, TIP compliance Test Plan and related TETRA interoperability requirement tables.

The table lists all the available TETRA interoperability profiles, and summarizes the main functionalities of every profile according to the TETRA interoperability requirement tables.

A feature is **"Certified"** when it has been successfully tested during the last test session with one of the testing method described in the TETRA process document part 1 (TPD001).

A breakdown into the feature details is given in the Feature Compliance Overview section of this certificate.

Detailed test results and explanation about the procedure used to provide verdicts are listed in the Test Report associated to this Certificate.

IOP test engineer

IOP test engineer

Stefano Fransesini

Radio Office Manager

Radio Office Manager

Giuseppe Pierri

ISCTI - V.le America 201, 00144 Rome, Italy
Ph.: +39 06 5444 2135, Fax: +39 06 5410904
e-mail: tetra_ctc.iscom@mise.gov.it,
Web: www.mise.gov.it

Date of issue:

24 March 2017

V03

Certified features

Tetra Association TTR001-01:Core	
Registration	Certified
Group Management	Certified
Group call	Certified
Individual call	Certified
Status messages	Certified
Pre-emptive Priority Call	Certified
Emergency Call	Certified
Cell Re-selection	Certified
PSTN interconnect	Certified
MS-ISDN Numbering	Certified
In Call Signalling	Certified
Subscriber Class Procedures	Certified
Common Secondary Control Channels	Certified
BS Fallback Operation	Certified
Energy Economy Mode	-
Transmit Inhibit	Certified
Mixed band operation	Certified
Tetra Association TTR001-02:SDS	
SDS Type 1, 2 or 3	-
SDS-TL	Certified
Store and Forward	Certified
Tetra Association TTR001-03:DGNA	
Support for individually addressed DGNA	Certified
Support for group addressed DGNA	-
Tolerance of unsupported DGNA functions	-

Tetra Association TTR001-04:Auth	
SwMI Initiated (non-mutual) Authentication	Certified
SwMI Initiated Authentication made Mutual by MS	Certified
TEI Query	Certified
Tetra Association TTR001-05:PD	
Context Management	Certified
Single Slot Packet Data	Certified
Multi Slot Packet Data	-
TEDS	-
Mixed band operation	Certified
Tetra Association TTR001-07:FSSN	
Fleet Specific Short Numbering	Certified
Tetra Association TTR001-09:AL	
Ambience Listening	Certified
Interaction with Transmit Inhibit	Certified
Tetra Association TTR001-10:E2EE	
E2EE Voice Call	Certified
Tetra Association TTR001-11:AIE	
Security Class 2 Air Interface Encryption	Certified
Security Class 3 Air Interface Encryption	Certified
Security Class 3G Air Interface Encryption	-
Change of CMG and GSKO	-
Key Status demand	-
Change of Security Class for Fallback operation	Certified
Change of Security Class (other than for Fallback operation)	-
Key Management for Secure Direct Mode Operation	-
Tetra Association TTR001-12:SI	
MS initiated Service Interaction	Certified
SwMI initiated Service Interaction	Partial
Call Waiting	-

Tetra Association TTR001-13:ED	
Enable and temporary disable of an MS	-
Permanent disable of an MS	Certified
Tetra Association TTR001-17:RUA	
Radio User Assignment	Certified
Tetra Association TTR001-19:LIP	
Location Information Protocol	Certified

Feature Compliance Overview

The first pages of this certificate provide an indication about the main interoperable TETRA features for each TIP specification (as described in the TIC-RT). The main interoperable TETRA features result depend on a set of sub-feature, the verdicts associated to each sub-feature are directly derived from the analysis of the performed test cases.
The results associated to each feature and sub-feature are shown in the "Feature compliance report" table below. The main features are indicated with grey background and the associated sub-features (or second level features) have white background.

The verdict assigned to a sub-feature as shown on page 2, is derived by the Feature compliance report tables.

Verdict	Definition
Certified	All required tests have been performed and passed
Partial	Not all the required tests have been performed but none have failed
–	Feature cannot be certified e.g. it is not supported by at least one product, no tests were performed, or some tests were performed but at least one failed

The verdict assigned to a sub feature is the result of an analysis of the test case results listed in the Test Report. The verdict assigned to each sub-feature is derived from one or several test case results or test steps result, the TETRA Interoperability requirement tables (TIC-RTs) indicate the link between sub-features and test cases for the certified set of equipment capabilities (see Test Report)

Verdict	Definition
Passed (note x)	All mandated tests or steps of tests linked to this functionality (as per TIC-RT indication) are compliant with the TIP specification relevant to this feature. A note can be associated to this result, if further clarification on the behaviour of the equipment is needed
Time_limited	Not all Mandated tests (as per TIC-RT indication) have been executed (ran out of time)

The verdict associated to the feature gives also indication about the method used to test that feature. The allowed testing Methods are listed in the table below, a complete description of the procedures and constraints associated to each of them can be found in the "TPD001 TETRA Interoperability Certification Process Description" document.

Testing Method	Description
Complete	All mandated tests associated to the feature have been executed
Spot	Only a selection of the mandatory test cases associated to the feature has been executed during the test session. These tests are a subset of the tests performed on an equivalent software which has been "completely" tested against the same functionality on a different equipment, see manufacturer declaration in annex A
Regression	Only a selection of the mandatory test cases associated to the feature has been executed during the test session. These tests are a subset of the tests performed on a previous version of the same software which has been "completely" tested in a previous test session against the same functionality, see manufacturer definition in annex A
Regression on spot	The regression method has been applied on the verdicts based on the spot testing method

Depending on equipment capabilities declared by the manufacturer, some features or sub features cannot be tested. The following table describes meaning of the used abbreviation

Indication	Definition
Not Supported	The SwMI and/or MS do not support the minimum features required to verify these items.

ISCTI has made every effort to ensure that every result has been correctly evaluated in accordance with the relevant TIPs, Test Plans and TIC-RTs. ISCTI has no liability for the test results, or towards the manufacturers,

The table on the following page lists HW and SW releases of SwMI and Terminal under test in the last four test sessions and the used TIP specifications, Test Plans and TIC-RTs

This Certificate and Certificates from previous test sessions are available on the TETRA Association web site (https://tandcca.com/interoperability/interoperability-certificates-and-test-reports/).

The feature results are shown in the tables below

Information on equipment under test and document references

Test Session Date/Place	**Cassidian Helsinki February 2011**	**EADS Helsinki October 2008**		
SwMI Type	Tetra System Rel 6.0	TETRA System Rel 5.5		
SwMI HW Release	M98F (DXTip)	M98F(DXTip) Rel 5.5		
SwMI SW Release	6.0	W5 15.2-0		
Terminal Type	STP8000	STP8000		
Terminal HW Release	PSNTW201T300R00	PSNTW201T300P00		
Terminal SW Release	1678 006 02937	2001 240 02937		
TIP Specs and TIP Compliance Test Plans				
Core	TTR001-01 v5.1.1 IOP001-01 v2.6.4 TIC-RT001-01 v25**0**	TTR001-01 v500 IOP001-01 v260 TIC-RT001-01 v233		

SDS	TTR001-02 v2.0.1 IOP001-02 v2.0.0 TIC-RT001-02 v211	TTR001-02 v201 IOP001-02 v200 TIC-RT001-02 v206		
DGNA	TTR001-03 v2.0.0 IOP001-03 v2.0.1 TIC-RT001-03 v218	TTR001-03 v200 IOP001-03 v201 TIC-RT001-03 v211		
Auth	TTR001-04 v3.0.0 IOP001-04 v2.0.0 TIC-RT001-04 v222	TTR001-04 v300 IOP001-04 v200 TIC-RT001-04 v216		
PD	TTR001-05 v3.0.0 IOP001-05 v3.0.2 TIC-RT001-05 v300	TTR001-05 v200 IOP001-05 v200 TIC-RT001-05 v224		
FSSN	TTR001-07 v1.0.0 IOP001-07 v2.0.0 TIC-RT001-07 v120	TTR001-07 v100 IOP001-07 v200 TIC-RT001-07 v114		
AL	TTR001-09 v2.0.0 IOP001-09 v1.1.0 TIC-RT001-09 v121	TTR001-09 v200 IOP001-09 v110 TIC-RT001-09 v113		
E2EE	TTR001-10 v2.0.0 IOP001-10 v1.1.0 TIC-RT001-10 v120	TTR001-10 v200 IOP001-10 v110 TIC-RT001-10 v112		
AIE	TTR001-11 v3.0.3 IOP001-11 v3.0.2 TIC-RT001-11 v316	TTR001-11 v300 IOP001-11 v300 TIC-RT001-11 v308		
SI	TTR001-12 v1.0.0 IOP001-12 v1.0.0 TIC-RT001-12 v124	TTR001-12 v100 IOP001-12 v100 TIC-RT001-12 v116		
ED	TTR001-13 v2.0.0 IOP001-13 v1.0.0 TIC-RT001-13 v145	TTR001-13 v200 IOP001-13 v100 TIC-RT001-13 v135		
RUA	TTR001-17 v1.0.1 IOP001-17 v1.0.0 TIC-RT001-17 v106a	Not Tested		
LIP	TTR001-19 v1.0.0 IOP001-19 v1.0.0 TIC-RT001-19 v102	Not Tested		

Feature compliance report

Test Session	Cassidian Helsinki February 2011	EADS Helsinki October 2008		
Core				
Registration	PASSED Regression 2_pass_of_5	PASSED Complete		
ITSI attach	Regression 0_pass_of_1	PASSED Complete		
SwMI initiated location updating	PASSED Complete 1_pass_of_1	PASSED Complete		
LA timer based Periodic location updating	PASSED Regression 1_pass_of_2	PASSED Complete		
De-registration	Regression 0_pass_of_1	PASSED Complete		
Group Management	PASSED Regression 2_pass_of_12	**PASSED Complete**		
Single group attachment	Regression 0_pass_of_6	PASSED Complete		
Multiple group attachment	PASSED Regression 1_pass_of_6	PASSED Complete		
MS initiated group detachment	Not Supported	Not supported		
SwMI initiated group management	PASSED Regression 1_pass_of_2	PASSED Complete		
Group call	PASSED Regression 3_pass_of_11	PASSED Complete		
Normal group call	PASSED Regression 1_pass_of_6	PASSED Complete		
Late entry	PASSED Complete 1_pass_of_1	PASSED Complete		
Priority Group scanning	Regression 0_pass_of_3	PASSED Complete		

Call setup modifications	Not Supported	Not supported		
Resource Queuing based on Call Priority	PASSED Complete 1_pass_of_1	PASSED Complete		
Broadcast Call	Not Supported	-		
Limited coverage notification	Not Supported	-		
Individual call	PASSED Regression 3_pass_of_10	PASSED Complete		
Simplex individual call	Regression 0_pass_of_4	PASSED Complete		
Duplex individual call	Regression 0_pass_of_2	PASSED Complete		
Call setup modifications	PASSED Complete 2_pass_of_2	PASSED Complete		
Resource Queuing based on Call Priority	PASSED Regression 1_pass_of_2	PASSED Complete		
Indication of imminent call disconnection	Not Supported	Not supported		
Status messages	PASSED Regression 1_pass_of_4	PASSED Complete		
Individual addressed Status transfer	Regression 0_pass_of_1	PASSED Complete		
Group addressed Status transfer	PASSED Regression 1_pass_of_3	PASSED Complete		
Pre-emptive Priority Call	PASSED Regression 1_pass_of_5	PASSED Complete		
Pre-emption of Resources	PASSED Regression 1_pass_of_2	PASSED Complete		
Pre-emption of Busy Users	Regression 0_pass_of_3	PASSED Complete		
Emergency Call	PASSED Regression 4_pass_of_5	PASSED Complete		
Pre-emption of Resources	PASSED Regression 1_pass_of_2	PASSED Complete		
Pre-emption of Busy Users	PASSED Complete 1_pass_of_1	PASSED Complete		
Call setup modifications	PASSED Complete 2_pass_of_2	Not supported		

Call disconnection by non-call owner	Not Supported	-		
Cell Re-selection	PASSED Regression 12_pass_of_21	PASSED Complete		
Undeclared	PASSED Complete 1_pass_of_1	PASSED Complete		
Unannounced	PASSED Regression 1_pass_of_3	PASSED Complete		
Announced - with Call Restoration	PASSED Regression 4_pass_of_11	PASSED Complete		
Announced - without Call Restoration	PASSED Complete 4_pass_of_4	Not supported		
Expedited	PASSED Complete 2_pass_of_2	-		
PSTN interconnect	PASSED Regression 3_pass_of_6	PASSED Complete		
TETRA Originated Call	PASSED Complete 2_pass_of_2	PASSED Complete		
PSTN Originated Call	PASSED Complete 1_pass_of_1	PASSED Complete		
DTMF over-dial	Regression 0_pass_of_1	PASSED Complete		
Emergency Telephone Calls	Regression 0_pass_of_2	PASSED Complete		
MS-ISDN Numbering	PASSED Regression 1_pass_of_4	PASSED Complete		
MS ISDN - Voice Call	Regression 0_pass_of_2	PASSED Complete		
MS-ISDN Status	PASSED Regression 1_pass_of_2	PASSED Complete		
In Call Signalling	PASSED Regression 2_pass_of_8	PASSED Complete		
Slow Signalling on Traffic Channel (SACCH)	PASSED Regression 1_pass_of_4	PASSED Complete		
Fast Signalling on Traffic Channel (FACCH)	PASSED Regression 1_pass_of_4	PASSED Complete		

Subscriber Class Procedures	PASSED Regression 1_pass_of_5	PASSED Complete		
Cell Selection based on Subscriber Class	Regression 0_pass_of_1	PASSED Complete		
Subscriber Class Delivery during Location Update	Regression 0_pass_of_1	PASSED Complete		
Use of Preferred Subscriber Classes	PASSED Regression 1_pass_of_3	PASSED Complete		
Common Secondary Control Channels	PASSED Complete 7_pass_of_7			
One C-SCCH per cell	PASSED Complete 4_pass_of_4	Not supported		
Two C-SCCH per cell	PASSED Complete 3_pass_of_3	Not supported		
Three C-SCCH per cell	PASSED Complete 2_pass_of_2	Not supported		
BS Fallback Operation	PASSED Regression 2_pass_of_10	PASSED Complete		
Switch to/from BS Fallback Operation	Regression 0_pass_of_2	PASSED Complete		
Roaming with BS Fallback Operation	Regression 0_pass_of_2	PASSED Complete		
Services with BS Fallback Operation	PASSED Regression 2_pass_of_6	PASSED Complete		
Energy Economy Mode				
Energy Economy Mode Operation	Not Supported	Not Supported		

Transmit Inhibit	PASSED Regression 1_pass_of_6	PASSED Complete		
TXI Activation & De-Activation without Status message	Regression 0_pass_of_1	PASSED Complete		
TXI Activation & De-Activation with Status message	PASSED Regression 1_pass_of_4	PASSED Complete		
Receipt of group addressed service during TXI	Regression 0_pass_of_1	PASSED Complete		
Mixed band operation	PASSED Complete 4_pass_of_4			
Mixed band operation, inter-cell	PASSED Complete 4_pass_of_4	-		
Mixed band operation, intra-cell	Not Supported	-		
Mixed band operation, Full	PASSED Complete 1_pass_of_1	-		
Short Data Service (SDS)				
SDS Type 1, 2 or 3				
SDS Type 1	Not Supported	Not Supported		
SDS Type 2	Not Supported	Not Supported		
SDS Type 3	Not Supported	Not Supported		
SDS-TL	PASSED Regression 5_pass_of_12	Time_Limited 10_pass_of_11		
Individually Addressed	PASSED Regression 1_pass_of_2	PASSED Complete 1_pass_of_1		
Group Addressed	PASSED Regression 1_pass_of_2	PASSED Complete 2_pass_of_2		
Using MS-ISDN dialling	Regression 0_pass_of_2	PASSED Complete 2_pass_of_2		
Using UCS2 coding scheme	PASSED Regression 3_pass_of_4	Time_Limited 2_pass_of_3		
Using 7-bit coding scheme	Regression 0_pass_of_2	Time_Limited 3_pass_of_4		

Store and Forward	PASSED Regression 2_pass_of_4	Time_Limited 3_pass_of_6		
Individually Addressed	PASSED Regression 1_pass_of_3	PASSED Complete 3_pass_of_3		
Group Addressed	PASSED Complete 1_pass_of_1	Time_Limited 0_pass_of_3		
Dynamic Group Number Assignment (DGNA)				
Support for individually addressed DGNA	PASSED Regression 2_pass_of_6	PASSED Complete		
Support for individually addressed DGNA assignment without attachment	Not Supported	Not supported		
Support for individually addressed DGNA assignment with attachment as selected group	Not Supported	Not supported		
Support for individually addressed DGNA assignment with attachment as scanned group	PASSED Regression 1_pass_of_4	PASSED Complete		
Support for individually addressed DGNA assignment with rejected attachment	Not Supported	Not supported		
Support for individually addressed assigment for pre-programmed group	PASSED Regression 2_pass_of_3	PASSED Complete		
Support for group addressed DGNA				
Support for group addressed DGNA assignment	Not Supported	Not Supported		
Management of 'group assignment lifetime'	Not Supported	Not Supported		
Support for group addressed DGNA deassignment	Not Supported	Not Supported		
Tolerance of unsupported DGNA functions				
MS tolerance of unsupported individual addressed DGNA signalling	Not Supported	Not Supported		
MS tolerance of unsupported group addressed DGNA signalling	Not Supported	Not Supported		

Authentication				
SwMI Initiated (non-mutual) Authentication	PASSED Regression 1_pass_of_3	PASSED Complete		
Attach with authentication	PASSED Complete 1_pass_of_1	PASSED Complete		
Roaming with authentication	Regression 0_pass_of_1	PASSED Complete		
SwMI rejects MS during authentication	Regression 0_pass_of_1	PASSED Complete		
MS rejects SwMI during authentication	Not Supported	Not supported		
SwMI Initiated Authentication made Mutual by MS	Regression 0_pass_of_2	PASSED Complete		
Attach with authentication	Regression 0_pass_of_1	PASSED Complete		
Roaming with authentication	Regression 0_pass_of_1	PASSED Complete		
TEI Query	PASSED Complete 1_pass_of_1			
TEI Query Operation	PASSED Complete 1_pass_of_1	Not supported		
TETRA Packet Data				
Context Management	PASSED Complete 13_pass_of_13	PASSED Spot 1_pass_of_13		
Context Activation	PASSED Complete 9_pass_of_9	PASSED Spot 1_pass_of_9		
User authentication	PASSED Complete 4_pass_of_4	Spot 0_pass_of_4		
Single Slot Packet Data	PASSED Complete 9_pass_of_9	PASSED Spot 2_pass_of_9		
Data Transfer	PASSED Complete 6_pass_of_6	PASSED Spot 1_pass_of_6		
Cell re-selection	PASSED Complete 3_pass_of_3	PASSED Spot 1_pass_of_3		
Multi Slot Packet Data				
Data Transfer	Not Supported	Not Supported		
TEDS				
TEDS with Context Activation	Not Supported	-		

TEDS Data Transmission	Not Supported	-		
TEDS Cell Reselection	Not Supported	-		
Mixed band operation	PASSED Complete 3_pass_of_3			
Mixed band operation, inter-cell	PASSED Complete 3_pass_of_3	-		
Mixed band operation, intra-cell	Not Supported	-		
Mixed band operation, Full	Not Supported	-		
FSSN				
Fleet Specific Short Numbering	PASSED Complete 12_pass_of_12	PASSED Spot 3_pass_of_12		
FSSN Addressed Individual Call	PASSED Complete 2_pass_of_2	PASSED Spot 1_pass_of_2		
FSSN as CPI/TPI in Group Call	PASSED Complete 2_pass_of_2	PASSED Spot 1_pass_of_2		
FSSN Addressed Status Messages	PASSED Complete 4_pass_of_4	PASSED Spot 1_pass_of_4		
FSSN Addressed SDS Text Messages	PASSED Complete 4_pass_of_4	Spot 0_pass_of_4		
TETRA Ambience Listening (SS-AL)				
Ambience Listening	PASSED Complete 5_pass_of_5	PASSED Spot 1_pass_of_5		
SS-AL Call Setup	PASSED Complete 2_pass_of_2	Spot 0_pass_of_2		
MS initiated SS-AL disconnection	PASSED Complete 3_pass_of_3	PASSED Spot 1_pass_of_3		
No Indication to affected user	PASSED Complete 5_pass_of_5	PASSED Spot 1_pass_of_5		
Interaction with Transmit Inhibit	PASSED Complete 2_pass_of_2			
AL can override TxI	PASSED Complete 1_pass_of_1	-		
AL cannot override TxI	PASSED Complete 1_pass_of_1	-		

End to End Encryption				
E2EE Voice Call	PASSED Complete 6_pass_of_6	PASSED Spot 2_pass_of_6		
Individual (P2P) call	PASSED Complete 4_pass_of_4	PASSED Spot 2_pass_of_4		
Group (P2MP) call	PASSED Complete 2_pass_of_2	Spot 0_pass_of_2		
Clear Voice Override (CVO)	Not Supported	Not supported		
Air Interface Encryption				
Security Class 2 Air Interface Encryption	PASSED Complete 1_pass_of_1			
Location Updating and AI Signalling Protection	Not Supported	Not Supported		
TM-SCK provisioning during location updating	Not Supported	Not Supported		
Communications between parties using encryption	PASSED Complete 1_pass_of_1	Not Supported		
Communications between clear and encrypted parties	Not Supported	Not Supported		
Communications between encrypted parties on a channel designated to operate in clear	Not Supported	Not Supported		
OTAR and Change of TM-SCK	Not Supported	Not Supported		
Packet Data with Class 2 Air Interface Encryption	Not Supported	-		
Security Class 3 Air Interface Encryption	PASSED Complete 21_pass_of_21	PASSED Spot 4_pass_of_19		
Location Updating and AI Signalling Protection	PASSED Complete 10_pass_of_10	PASSED Spot 2_pass_of_9		
DCK Forwarding at MS request	PASSED Complete 6_pass_of_6	PASSED Spot 1_pass_of_6		
DCK Forwarding by SwMI (without MS request)	Not Supported	Not supported		
DCK Retrieval	PASSED Complete 1_pass_of_1	Not supported		
CCK provisioning during location updating	PASSED Complete 6_pass_of_6	PASSED Spot 2_pass_of_6		

Communications between parties using encryption	PASSED Complete 2_pass_of_2	PASSED Spot 1_pass_of_2		
Communications between clear and encrypted parties	PASSED Complete 3_pass_of_3	Spot 0_pass_of_3		
Communications between encrypted parties on a channel designated to operate in clear	PASSED Complete 2_pass_of_2	Spot 0_pass_of_2		
OTAR and Change of CCK	PASSED Complete 3_pass_of_3	PASSED Spot 1_pass_of_3		
Packet Data with Class 3 Air Interface Encryption	PASSED Complete 1_pass_of_1	-		
Security Class 3G Air Interface Encryption				
GCK Key Association setting	Not Supported	Not Supported		
Communications between parties using encryption	Not Supported	Not Supported		
Communications between clear and encrypted parties	Not Supported	Not Supported		
OTAR and Change of GCK	Not Supported	Not Supported		
Change of CMG and GSKO				
OTAR and change of CMG and GSKO	Not Supported	Not Supported		
Key Status demand				
SCK Key Status demand	Not Supported	Not Supported		
GCK Key Status demand	Not Supported	Not Supported		
GSKO Key Status demand	Not Supported	Not Supported		
Change of Security Class for Fallback operation	PASSED Complete 4_pass_of_4	PASSED Spot 1_pass_of_4		
Seamless change to Security Class 2 for BS Fallback operation	Not Supported	Not supported		
Non-seamless change to Security Class 2 for BS Fallback operation	PASSED Complete 3_pass_of_3	PASSED Spot 1_pass_of_3		
Provisioning of TM-SCK for fallback to Security Class 2 operation	Not Supported	Not supported		
Change to Security Class 1 for BS Fallback operation	PASSED Complete 1_pass_of_1	Spot 0_pass_of_1		
Change of Security Class (other than for Fallback operation)		Time_Limited 0_pass_of_2		
Change between Security Class 3 and Security Class 3G	Not Supported	Not supported		
Change between Security Class 2 and Security Class 3	Not Supported	Time_Limited 0_pass_of_2		
Change from Security Class 3G to Security Class 2	Not Supported	Not supported		

Key Management for Secure Direct Mode Operation				
OTAR and change of DM-SCK	Not Supported	Not Supported		
Service Interaction				
MS initiated Service Interaction	PASSED Complete 5_pass_of_5	PASSED Spot 2_pass_of_5		
MS initiated Circuit Mode Call during another Circuit Mode Call	PASSED Complete 3_pass_of_3	PASSED Spot 1_pass_of_3		
MS initiated Circuit Mode Call during Packet Mode Transfer	PASSED Complete 2_pass_of_2	PASSED Spot 1_pass_of_2		
MS initiated Packet Mode Transfer during Circuit Mode Call	Not Supported	Not supported		
SwMI initiated Service Interaction	PASSED No_Equipment 6_pass_of_7	Spot Time_Limited 1_pass_of_11		
SwMI initiated Circuit Mode Call during another Circuit Mode Call	PASSED No_Equipment 4_pass_of_5	PASSED Spot 1_pass_of_9		
SwMI initiated Circuit Mode Call during Packet Mode Transfer	PASSED Complete 2_pass_of_2	Time_Limited 0_pass_of_2		
SwMI initiated Packet Mode Transfer during Circuit Mode Call	Not Supported	Not supported		
Call Waiting				
Call Waiting in Individual Call	Not Supported	-		
Call Waiting in Group Call	Not Supported	-		
Enable Disable				
Enable and temporary disable of an MS	FAILED Complete 11_pass_of_12	FAILED Time_Limited 11_pass_of_14		
Enable and temporary disable of an MS without authentication	Not Supported	Not supported		
Enable and temporary disable of an MS with authentication	PASSED Complete 4_pass_of_4	Time_Limited 4_pass_of_6		
Registration of a temporary disabled MS	PASSED Complete 2_pass_of_2	FAILED Complete 1_pass_of_2		
Rejection of applicable invalid enable/disable requests	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
Removable SIMs do not affect the subscriber or equipment that has been enabled/disabled	Not Supported	Not supported		

Disabling of an MS during a call or while on the PDCH	FAILED Complete 4_pass_of_5	PASSED Complete 5_pass_of_5		
Permanent disable of an MS	PASSED Complete 2_pass_of_2	Time_Limited 3_pass_of_4		
Permanent disable of an MS with authentication	PASSED Complete 1_pass_of_1	Time_Limited 2_pass_of_3		
Permanently Disabled MS cannot send air interface signalling	PASSED Complete 1_pass_of_1	PASSED Complete 1_pass_of_1		
RUA				
Radio User Assignment	PASSED Complete 11_pass_of_11			
Radio User Assignment at Location Updating	PASSED Complete 6_pass_of_6	-		
Dispatcher initiated Radio User Assignment	PASSED Complete 2_pass_of_2	-		
Radio User Dis-assignment	PASSED Complete 3_pass_of_3	-		
LIP				
Location Information Protocol	PASSED Complete 17_pass_of_17			
LIP over SDS	PASSED Complete 10_pass_of_10	-		
LIP over Packet Data	Not Supported	-		
Time based reporting	PASSED Complete 5_pass_of_5	-		
Distance based reporting - NOT TESTABLE	Not Supported	-		
Reporting using Long reports	PASSED Complete 1_pass_of_1	-		
Reporting Enable & Disable	PASSED Complete 2_pass_of_2	-		
Temporary reporting control	PASSED Complete 1_pass_of_1	-		
Trigger modification	PASSED Complete 1_pass_of_1	-		

Immediate Location Reporting	PASSED Complete 1_pass_of_1	-		
Reporting Lifetimes	Not Supported	-		
Error Reporting	PASSED Complete 1_pass_of_1	-		

Annex A

List of Revisions of the Certificate

Date	Ver.	Modification
3 August 2011	1	First published version
5 September 2011	2	updating: - change regarding the version number of the LIP TIC-RT reported in TIP summary.
24 March 2017	3	Removed A2G features due to a not supported associated mandatory capability

IOP test engineer

Ivano Luciani

Radio Office Manager

Giuseppe Pierri